

REFER TO DETAILED NOTES FOR THE FIRE ASSEMBLY OF THE PARTY WALL. WALL IS NOTED AS UL LISTED #TL-86-348


FIRST FLOOR:  
664 SQ FT (PER UNIT)

**FIRST FLOOR PLAN 1/4"=1'-0"**

2x6 STUDS @ 16" OC AT ALL EXTERIOR WALLS UNLESS OTHERWISE NOTED

■ POINT LOAD FROM ABOVE  
PROVIDE THE FOLLOWING:  
1) SOLID BLOCKING BETWEEN BEAM (OR SILL) AND PLYWOOD SUBFLOOR  
2) A MINIMUM OF THREE STUDS IN A BEARING WALL AS BEAM JACKS

REFER TO DETAILED NOTES FOR THE FIRE ASSEMBLY OF THE PARTY WALL. WALL IS NOTED AS UL LISTED \*TL-86-348



SECOND FLOOR:  
903 SQ FT (PER UNIT)

**SECOND FLOOR PLAN 1/4"=1'-0"**

2x6 STUDS @ 16" OC AT ALL EXTERIOR WALLS UNLESS OTHERWISE NOTED

■ = POINT LOAD FROM ABOVE  
 PROVIDE THE FOLLOWING:  
 1) SOLID BLOCKING BETWEEN BEAM (OR BILL) AND PLYWOOD SUBFLOOR  
 2) A MINIMUM OF THREE STUDS IN A BEARING WALL AS BEAM JACKS



**FRONT ELEVATION 1/4"=1'-0"**



**BACK ELEVATION 1/4"=1'-0"**