Patricia A. Peshka
Purchasing Agent



Frank J. Picozzi

Mayor

City of Warwick

Purchasing Division 3275 Post Road Warwick, Rhode Island 02886 Tel (401) 738-2013 Fax (401) 737-2364

The following notice is to appear on the City of Warwick's website <u>Friday</u>, <u>March 12</u>, <u>2021</u>. The website address is http://www.warwickri.gov/bids.

CITY OF WARWICK BIDS REQUESTED FOR

Bid2021-308 Purchase Various Police Vehicles

Specifications are available in the Purchasing Division, Warwick City Hall, Monday through Friday, 8:30 AM until 4:30 PM on or after Friday, March 12, 2021.

Sealed bids will be received by the Purchasing Division, Warwick City Hall, 3275 Post Road, Warwick, Rhode Island 02886 up until 11:00 AM, Tuesday, March 30, 2021. The bids will be opened publicly commencing at 11:00 AM on the same day in the Lower Level Conference Room, Warwick City Hall. Please note due to COVID-19 only one (1) person from each company may attend the bid opening. Employees and visitors must adhere to social distance guidelines. All visitors are advised to wear masks or face coverings at all times.

Awards will be made on the basis of the lowest evaluated or responsive bid price. Please note that no bids can be accepted via email or fax.

The City of Warwick, in addition to soliciting bids in response to this bid, may consult, consider, and make an award for any and all open bid offers for a comparable unit as sought herein at the following websites:

RI State MPA: https://www.ridop.ri.gov/contract-portal/

NASPO: https://www.naspo.org/

NJPA (National Joint Powers Alliance): https://www.njpacoop.org/cooperative-purchasing

MHEC (Massachusetts Higher Education Consortium): https://www.mhec.net/

Individuals requesting interpreter services for the hearing impaired must notify the Purchasing Division at 401-738-2013 at least 48 hours in advance of the bid opening date.

Original Signature on File

Patricia A. Peshka Purchasing Agent

Acknowledgement of Addendum (if applicable)

	Addendum Number	Signature of Bido	ler
			_
			<u> </u>
COMPANY NAM	ME:		_
COMPANY ADI	ORESS:		_
COMPANY ADI	DRESS:		_
BIDDER'S SIGN	ATURE:		-
BIDDER'S NAM	E (PRINT):		-
TITLE:	TEL. NO.:_		_
EMAIL ADDRES	SS:		*
*Please include your	email address. Future bids v	vill be emailed, unless	otherwise noted.
II. AWARD AND	CONTRACT:		
Agent/Finance Direct the above party to paunless another payment.	CITY OF WARWICK, acting tor/Mayor, accepts the above by the bid price upon complete ent schedule is contained in the substantive and procedural, and	bid and hereby enters ion of the project or rec ne specifications. All t	into a contract with ceipt of the goods erms of the
DATE			
	2021-308	Purchasing Age	ent

CERTIFICATION & WARRANT FORM*

This form <u>must</u> be completed and submitted with sealed bid. Failure to do so will result in automatic rejection.

Any and all bids shall contain a certification and warrant that they comply with all relevant and pertinent statues, laws, ordinances and regulations, in particular, but not limited to Chapter 16-Conflicts of Interest, of the Code of Ordinances of the City of Warwick. Any proven violation of this warranty and representation by a bidder at the time of the bid or during the course of the contract, included, but not limited to negligent acts, either directly or indirectly through agents and/or sub-contractors, shall render the bidder's contract terminated and the bidder shall be required to reimburse the City for any and all costs incurred by the City, including reasonable attorney fees, to prosecute and/or enforce this provision.

Signature	Date
Company Name	
Address	
Address	

*This form cannot be altered in any way

CITY OF WARWICK NOTICE TO BIDDERS

Bid2021-308 Purchase Various Police Vehicles

If you received this document from our homepage or from a source other than the City of Warwick Purchasing Division, please check with our office prior to submitting your bid to ensure that you have a complete package. The Purchasing Division cannot be responsible to provide addenda if we do not have you on record as a plan holder.

Bids received prior to the time of the opening will be securely kept, unopened. No responsibility will be attached to an officer or person for the premature opening of a bid not properly addressed and identified. No bids will be accepted via facsimile or email.

The opening of bids will be in the order established by the posted agenda and the agenda will continue uninterrupted until completion.

Once an item has been reached and any bids on that item has been opened, no other bids on that item will be accepted and any such bid will be deemed late.

The contractor will not discriminate against any employee or applicant for employment because of physical or mental handicap for any position for which the employee or applicant is qualified and that in the event of non-compliance the City may declare the contractor in breach and take any necessary legal recourse including termination or cancellation of the contract.

A bidder filing a bid thereby certifies that no officer, agent, or employee of the City has a pecuniary interest in the bid or has participated in contract negotiations on the part of the City, that the bid is made in good faith without fraud, collusion, or connection of any kind with any other bidder for the same call for bids, and that the bidder is competing solely in his own behalf without connection with, or obligation to, any undisclosed person or firm.

All bids should be submitted with one (1) original and one (1) copy in a sealed envelope, which should read: *YOUR COMPANY NAME* plainly marked on the exterior of the envelope as well as "Bid2021-308 Purchase Various Police Vehicles."

All proposals submitted become the property of the City and will not be returned. If the company intends to submit **confidential or proprietary information** as part of the proposal, **any limits on the use or distribution of that material should be clearly delineated in writing. This information should be submitted in a sealed envelope, clearly labeled confidential** and where it should be submitted in the response. Please be advised of the Freedom of Information Act as it may pertain to your submittal.

Should you have any questions, please contact Michael Grant, WPD Automotive, at 401-468-4362.

All bids should be written in ink or typed. If there is a correction with whiteout, the bidder must initial the change.

Negligence on the part of the bidder in preparing the bid confers no rights for the withdrawal of the bid after it is open.

Any deviation from the specifications must be noted in writing and attached as part of the bid proposal. The bidder must indicate the item or part with the deviation and indicate how the bid will deviate from specifications.

The IRS Form W-9 available on www.warwickri.gov should be completed and submitted with the bid if the bidder falls under IRS requirements to file this form.

The successful bidder must provide the City of Warwick with an original **Certificate of Insurance** for General & Automobile Liability in a minimum amount of \$1 million. The certificate of insurance must name the *City of Warwick as the additional insured* and so stated on the certificate with the bid name and bid number. It is the vendor's responsibility to provide the City of Warwick with an updated certificate of insurance upon expiration of the original certificate.

For a bid to be awarded to a corporation, limited liability company or other legal entity, prior to commencing work under the awarded bid, that corporation, company or legal entity may be required to provide to the Purchasing Agent a **Certificate of Good Standing** dated no more than thirty (30) days prior to the date upon which the bid approval was made.

The successful bidder will provide said **Certificate of Insurance** and **Certificate of Good Standing** within ten (10) calendar days after notification or the City reserves the right to rescind said award.

Prices to be held firm one (1) year from date of award. Term contracts may be extended for one additional term upon mutual agreement unless otherwise stated.

The contractor must carry sufficient liability insurance and agree to indemnify the city against all claims of any nature, which might arise as a result of his operations or conduct of work.

The City is exempt from the payment of the Rhode Island Sales Tax under the 1956 General Laws of the State of Rhode Island, 44-18-30, Paragraph I, as amended.

The Purchasing Agent reserves the right to reject any and all bids, to waive any minor deviations or informalities in the bids received, and to accept the bid deemed most favorable to the interest of the City.

The successful bidder must comply with all Rhode Island Laws applicable the public works projects, including, but not limited to provisions of Chapter 13 of Title 37 of the

Rhode Island General Laws, pertaining to prevailing wage rates, and all other applicable local, state and federal laws.

The City reserves the right to terminate the contract or any part of the contract in the best interests of the City, upon 30-day notice to the contractor. The City will incur no liability for materials or services not yet ordered if it terminates in the best interests of the City. If

the City terminates in the interests of the City after an order for materials or services have been placed, the contractor will be entitled to compensation upon submission of invoices and proper proof of claim, in that proportion which its services and products were satisfactorily rendered or provided, as well as expenses necessarily incurred in the performance of work up to time of termination.

No extra charges for delivery, handling or other services will be honored. All claims for damage in transit will be the responsibility of the successful bidder. Deliveries must be made during normal working hours unless otherwise agreed upon.

All costs directly or indirectly related to the preparation of a response to this solicitation, or any presentation or communication to supplement and/or clarify any response to this solicitation which may be required or requested by the City of Warwick will be the sole responsibility of and will be borne by the respondent.

If the respondent is awarded a contract in accordance with this solicitation and the respondents bid or response and if the respondent fails or refuses to satisfy fully all of the respondents obligations thereunder, the City of Warwick will be entitled to recover from the respondent any losses, damages or costs incurred by the City as a result of such failure or refusal.

The City reserves the right to award in part or full and to increase or decrease quantities in the best interest of the City.

Any quantity reference in the bid specifications are estimates only, and do not represent a commitment on the part of the City of Warwick to any level of billing activity. It is understood and agreed that the agreement will cover the actual quantities ordered during the contract period.

The City reserves the right to rescind award for non-compliance to bid specifications.

The successful bidder must adhere to all City, State and Federal Laws, where applicable.

Colonel Bradford E. Connor Chief of Police Frank J. Picozzi Mayor





Warwick, Rhode Island 02886-4617 Telephone: (401) 468-4200

The Warwick Police Department, Automotive Division, is seeking bids from qualified vendors to purchase up to Fifteen (15) 2021 or Current Model Year Unmarked Ford Police Interceptor Utility Vehicles. Purchases will be made in Fiscal Year 2021, July 30, 2020 through June 30, 2021.

Bid Specifications for K9 Unit

SPECIFICATIONS FOR TWO (2) 2021 OR CURRENT MODEL YEAR UNMARKED FORD POLICE INTERCEPTOR UTILITY COLOR BLACK

To be Standard Factory equipped Police Package-K8A

Vehicle Features	Provided Per Spec		Sales Code	Comments
	Yes	No		
9" Space between driver's				
			44J	
Two 12-volt power points				
75-mph rear crash tested				
supplemental side air bags				
Air Conditioning- factory			17A	
installed w/ integral heater				
and defroster				
Climate Control Auxiliary				
air condition (rear air)				
Alternator- heavy duty				
220amp				
Antennae-Integrated in				
rear window				
Audio—AM/FM				
stereo/single CD player w/				
MP3 capability; clock and				
6 speakers				
Battery- Heavy duty 78				
amp-hr/750 CCA				
Brakes- 4 wheel heavy				
duty-disc w/ anti-lock				
	9" Space between driver's seat and front passenger seat for aftermarket consoles 6 Speed Automatic transmission Two 12-volt power points 75-mph rear crash tested Air Bags- front and supplemental side air bags Air Conditioning- factory installed w/ integral heater and defroster Climate Control Auxiliary air condition (rear air) Alternator- heavy duty 220amp Antennae-Integrated in rear window Audio—AM/FM stereo/single CD player w/ MP3 capability; clock and 6 speakers Battery- Heavy duty 78 amp-hr/750 CCA	9" Space between driver's seat and front passenger seat for aftermarket consoles 6 Speed Automatic transmission Two 12-volt power points 75-mph rear crash tested Air Bags- front and supplemental side air bags Air Conditioning- factory installed w/ integral heater and defroster Climate Control Auxiliary air condition (rear air) Alternator- heavy duty 220amp Antennae-Integrated in rear window Audio—AM/FM stereo/single CD player w/ MP3 capability; clock and 6 speakers Battery- Heavy duty 78 amp-hr/750 CCA Brakes- 4 wheel heavy	9" Space between driver's seat and front passenger seat for aftermarket consoles 6 Speed Automatic transmission Two 12-volt power points 75-mph rear crash tested Air Bags- front and supplemental side air bags Air Conditioning- factory installed w/ integral heater and defroster Climate Control Auxiliary air condition (rear air) Alternator- heavy duty 220amp Antennae-Integrated in rear window Audio—AM/FM stereo/single CD player w/ MP3 capability; clock and 6 speakers Battery- Heavy duty 78 amp-hr/750 CCA Brakes- 4 wheel heavy	9" Space between driver's seat and front passenger seat for aftermarket consoles 6 Speed Automatic transmission Two 12-volt power points 75-mph rear crash tested Air Bags- front and supplemental side air bags Air Conditioning- factory installed w/ integral heater and defroster Climate Control Auxiliary air condition (rear air) Alternator- heavy duty 220amp Antennae-Integrated in rear window Audio—AM/FM stereo/single CD player w/ MP3 capability; clock and 6 speakers Battery- Heavy duty 78 amp-hr/750 CCA Brakes- 4 wheel heavy

	brake system (ABS-police			
	calibrated) w/ power			
	booster			
12.	Built in steel intrusion			
12.				
	plates in both front seat backs			
13.	Climate Controls- manual			
13.				
1.4	air conditioning			
14.	Column Shifter			
15.	Console Mounting Plate-			
1.0	front			
16.	Cooling system- heavy			
17	duty			_
17.	Cruise Control		120	
18.	Dark Car Feature Courtesy		43D	
10	Lamp Disable		177	
19.	Dome Light Cargo Area		17T	
20.	Door Handles-Body Color			
21.	Door locks-power		10.5	
22.	Rear door Handles Control		68G	
2.2	INOP		705	
23.	Hidden door-lock plunger		52P	
	w/ rear door controls			
	INOP			
24.	Electric power assisted			
	steering			
25.	Electrical- 12V center			
	console power outlet			
26.	Electrical-police specific-			
	High/low current			
	Including 6 independent			
	20 amp circuits			
	Including Vehicle Systems			
	Interface Module (VSIM)			
27.	Emissions- 50 State			
28.	Engine- 3.31 V6 gas		99B	
	engine			
29.	Engine hour meter			
30.	Engine idle meter			
31.	Exhaust- Dual rear			
	exhaust			
32.	Floor cover and mats-			
	black			
33.	Flooring- heavy duty vinyl			
34.	Ford Sync			
35.	Fuel System- easy capless			
	fuel filler			
36.	Fuel system- 19.1 gallon			
	fuel tank capacity			
		·		

37.	Fuel system- remote fuel			
	door release			
38.	Glass- acoustic windshield			
39.	Glass- acoustic front door			
	glass			
40.	Glass- solar tinted			
41.	Grille- black grille w/			
	black honeycomb			
42.	Headliner-easy to drop			
43.	Hill Start Assist			
44.	Horns- Dual Note electric			
	horns			
45.	Instrument cluster w/ Tach			
	including outside			
	temperature display			
46.	Key locks- exterior driver,			
	front-passenger, and deck			
	lid			
47.	Keys-Four Fleet Keys		59B	(1284X)
48.	Keys- Keyless Go- 4 fobs		55F	
49.	License plate bracket-front			
50.	Lighting- headlamps,			
	projector beam halogen			
51.	Headlamp housing			
	-pre-drilled hole for side			
	marker police use			
	-pre-molded side			
	warning LED holes with standard twist lock			
	sealed capability			
52.	Lighting- Glove box Lamp			
53.	Lighting-Under hood			
33.	Lamp			
54.	Lighting- Truck lamp			
55.	Lighting- Dome lamp-			
	front – red/white			
56.	Lighting- spot lamp-		51R	
	driver only (LED bulb)			
57.	Global Lock/ Unlock		18D	
	feature			
58.	Mirrors- power side view,		549	
	manual foldaway with		55B	
	integrated blind spot			
	mirrors	 		
59.	Mirrors- exterior mirrors			
	body color			
60.	Power adjustable pedals			

61.	Power train mounts- heavy		
	duty		
62.	Police Group		
63.	Radio- UCONNECT		
	Touch 4.3 CD/MP3		
	Including:		
	-4.3" touch screen		
	display		
	-Remote USB Port		
	-Audio jack input for		
	mobile devices		
	-steering wheel mounted		
- 1	controls		
64.	Restraint System- Adv		
	Multistage front airbags		
65.	Restraint System- Supp.		
	Side curtain airbags		
66.	Restraint system- Supp.		
<u> </u>	Front seat side airbags		
67.	Restraints- active head		
60	restraint	7.CD	
68.	Reverse sensing system	76R	
69.	Seat- front heavy duty		
	cloth, 6 way power driver's seat with manual		
70.	lumbar Police Perimeter alert	68B	
71.	Pre-collision assist with	08D	
/1.	pedestrian detection		
72.	Police engine idle	47A	
73.	Rear camera on demand	19V	
74.	Seat- front heavy duty	191	
/4.			
75.	cloth passenger Seat- real vinyl bench		
	Seats- rear fixed seat		
76. 77.			
78.	Special service group Speed Control		
78. 79.	Speed Control Speedometer- certified		
17.	160 MPH		
80.	Stability Control -		
00.	electronic		
	Ciccionic		
81.	Steering wheel- tilt/limited		
01.	telescopic		
82.	Steering wheel- leather		
02.	wrapped		
83.	Suspension- heavy duty,		
05.	front and rear stabilizer		
	bars		
	Caro		

84.	Suspension independent			
04.	Suspension- independent			
0.5	front and rear			
85.	Tail lamps- Halogen			
86.	Tires- P255/60R18 A/S			
	BSW -Performance tire			
87.	Tire pressure monitoring			
	display			
88.	Tires- full size spare wheel			
	and tire			
89.	Trunk/cargo area- flat load			
	floor			
90.	Underbody deflector plate			
91.	Warranty- 5 year/ 100,000			
	Mile Limited Power train			
92.	Wheels- heavy duty 18"			
	steel, 5-spoke			
93.	Wheels- set of 4 heavy			
	duty 18" full face wheel			
	covers with metal clips			
94.	Small center caps			
95.	Windshield wipers-			
	variable intermitted			
96.	Windows- power front,			
	one touch up/down			
97.	Windows- rear window			
	defroster			
98.	Windows- remote			
	windows down			
99.	Windows- rear window		68G	
	power disable			
100.	Keys- Four keys to be			
	supplied with vehicle			
101.	Speedometer- Certified,			
	calibrated 0-140MPH			
	speedometer. Certification to			
102	be supplied with vehicle			
102.	Warranty- Three year,			
	36,000 mile basic warranty, and five year/100,000 mile			
	Powertrain warranty. No			
	deductible			
	404401010		<u>l</u>	

DEALER NAME

Dealer's name or emblems **ARE NOT** to be placed on vehicles.

 $\underline{\textbf{VEHICLE INVOICES}}$ All bids shall include final vehicle invoices from the manufacturer showing all four (4) levels of incentives/government discounts. Invoices shall match final bid proposal.

PRE-DELIVERY

Prior to delivery, the vehicle(s) shall be serviced and inspected by the dealer. The Vendor shall be responsible for complete "New Car Delivery" inspection. The engine, transmission, differential, and cooling system shall be filled to the manufacturer's recommended capacity and the "GAS TANK FILLED" prior to delivery. All vehicle(s) will receive a "New Car" cleaning and preparation prior to delivery. All equipment shall be completely installed and adjustments made prior to delivery to make this vehicle(s) available for immediate use. Vehicle(s) shall be free of defects when delivered. If deficiencies found cannot be corrected within two (2) business days, the vehicle(s) will be deleted from the invoice and payment will not be made until corrective action is taken and the vehicle is reinspected and accepted. It shall be the responsibility of the Vendor for pickup and delivery of the vehicle(s) for re-inspection.

SHIPMENT AND DELIVERY OF VEHICLE

The Dealer/Vendor may have the vehicle(s) drop shipped to the "Emergency Package Vendor" for convenience. If this is not possible, the Dealer will be responsible for transportation of the vehicle(s) from his/her establishment to the Emergency Package Vendor. IT WILL THEN BE THE RESPONSIBILITY OF THE DEALER/VENDOR TO TRANSPORT THE VEHICLE(S) FROM THE EMERGENCY PACKAGE VENDOR TO THE DELIVERY POINT, WHICH IS AS FOLLOWS (If elected by the Warwick Police Department- See pricing page):

Warwick, RI Police Department Headquarters 99 Veterans Memorial Drive Warwick, RI 02886 401-468-4362

THE SUCCESSFUL BIDDER SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE FOLLOWING DEALER SUPPLIED EQUIPMENT AND GRAPHICS

The Warwick Police Department reserves the right to change, alter, or modify the specs as needed. All emergency equipment will be installed as specified in the vehicle manufacturers OEM up fitter's guide for the current model year. Bid price **shall include** all necessary cabling, parts and connectors needed. Any substitutions must be approved by the Department prior to installation. All warning light equipment shall be AMECA certified to meet the requirements of SAE J845 Class 1, and J595 Class 1. As a requirement of SAE J595, all warning lights must be certified to meet the requirements of SAE J576 material performance criteria.

Equipment-

- 103. Whelen Front Inner Edge XLP WeCan DUO+ Extra Low Profile Series LED Light bar Model # IW34UFX. Fully populated with 6-LED upper front series, low current switching, low power, scan-lock flash patterns and included mounting kit. Advanced Thermal Design to reduce the stress on LEDs during extended dwell time, automatic photocell for day/night operation. Five year warranty.
- 104. N/A
- 105. Whelen VertexTM Super-LED® Light Model VTX609C Color White and VTX609R Color Red. Whelen Vertex Super LED Hideaway Model # VTX609C and VTX609R. (Driver and passenger side color white and red). Installed in OEM headlight cut out with 25 Scan-Lock flash patterns. Omni Directional Light head with 9' cable, lamp and in-line lamp driver are fully encapsulated for moisture and vibration resistance. Five year warranty.

- 106. Whelen Outer Edge Rear Facing Upper Exterior Mount Model # OEWS34. ION Super LED allows individual control of each lighthead color. This is a six lamp two piece exterior LED. Each light head includes a pigtail with a weather resistant mini-connector, light heads are fully encapsulated for moisture, vibration, and corrosion resistance; Hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 107. Whelen ION T Series DUO LED Model # TLI2D (Red/White- Driver's side rear license plate),
 - # TLI2E (Blue/White- Passenger's side rear license plate), low profile design, includes black
 - flange and 4 wires 6" pigtail, 33 scan lock flash pattern; Hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 108. Whelen LINSV2 V Series LED Model # LINSV2R (Red-Driver's side mirror) and # LINSV2B (Blue- Passenger's side mirror) to include Model # LSVBKT34 under-the-side view mirror mount for two LINSV2 series light heads, combination 180° warning and puddle light, warning segment includes 25 scan-lock flash patterns, hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 109. Whelen T ION Model # TLI2D Red- (1) driver's front and (1) rear fender and # TLI2E Blue-Passenger's (1) front and (1) rear fender. Ultra-compact, high intensity optic, 25 scan lock flash patterns, hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 110. Whelen Vertex Super LED Hideaway Model # VTX609C (Reverse lights- Driver/Passenger)
 Omni Directional Light head with 9' cable, lamp and in-line lamp driver are fully
 encapsulated

for moisture and vibration resistance. Five year warranty.

111. Whelen Vertex Super LED Hideaway Model # VTX609R (Tail lights- driver/passenger)
Omni Directional Light head with 9' cable, lamp and in-line lamp driver are fully encapsulated

for moisture and vibration resistance. Five year warranty.

112. Whelen CanTrol WC Light and Siren System Model # CANWCT2 Amplifier/Control Module

with thirty-two, 2-1/2 amp outputs, three low current 1/4 amp outputs, eight programmable 10 amp positive/negative outputs, Traffic advisor module and three diagnostix indicators. To include Model # CC5K1 installation kit and Model # CANCTL6 with 3 section control head, 8 push-buttons, 4-position slide switch with a 7-position rotary knob. Manual air horn plus 3 traffic advisor switches and microphone with extension cable.

- 113. Whelen IONTM Mini T-Series LED Model TLMIR (Red-Driver's side exterior plate light trim facing down) TLMIB (Blue-Passenger's side exterior plate light trim facing down), low profile design. Includes black flange, 25 scan lock flash pattern; hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 114. Whelen 100 watt Siren Speaker Model # SA315P and SAK66D bracket. Siren to be installed on push bumper. All weather nylon composite black housing with front loaded, powder coated speaker driver. Two year warranty.

- 115. Whelen Howler Low Frequency Tone Siren Model # HWLUNI with included universal mounting bracket. Two year warranty.
- 116. Whelen Micron™ Stud Mount Series Super-LED® Light head Model # MCRNTRX (Driver's Grill knock out); #MCRNTBX (Passenger's Grill Knock out) includes 25 scan-lock flash patterns; hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 117. Whelen ION DUO LED Model # I2D (Red/White- Driver's Lower Grill) and # I2E (Blue/White Passenger's Lower Grill). Universal mount, two color interleaved LEDs and advanced linear super led optics, 64 scan lock flash patterns; Hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five-year warranty.
- 118. Whelen Pioneer SlimLine Series 12 VDC Super-LED standard Spotlight Model # PSL1B. This spot light includes interchangeable flood lens installed on lower part of push bumper. These lenses are hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 119. Whelen Tracer Series Super-LED Light TRIO Array Model # TCRHT5. This is a 5 Lamp system with housing and "L" bracket mounting for under both doors under both the driver's and passenger's sides. These lenses are hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 120. Whelen Outer Edge Rear Pillar Exterior Mout ION Super-LED Model # RPWS34. Allows for individual control of each light head color individually. This is a two piece six lamp system with three lamps on the passenger rear side and three lamps on the driver rear side. These lenses are hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 121. Whelen Interior Light, 6" Round model 60C0EJCS white (2) rear hatch
- 122. Pro Gard Dual-Lock D T-Rail Mount Small Lock & Universal XL Lock with Handcuff Key Model # GK10301S1UKSSCAXL.
- 123. Westin Police Interceptor Utility Push Bar Model # 36-2125. This push bar will be mounted to the front of the vehicle.
- 124. SETINA trunk vault storage cabinet system. Elevated cabinet will allow access to spare tire. Cabinet must fit into the rear trunk area of Ford Police Interceptor Utility and be the brand of Trunk Vault or comparable to:

SETINA 2 – Tray Storage System (part number TK-0248-ITU20) SETINA Roll-out Radio Tray (part number TPA-9289) SETINA Free Standing Bracket (part number TF-0292-ITU20)

125. Stalker Dual SL Ka Band RADAR System Model #SDSL2Ka with compatible mounting brackets for all components. This is a front and rear dual system RADAR unit. This unit will measure the speeds of other "Target" vehicles from a stationary post or while moving. The RADAR unit will automatically switch from moving to stationary and vice versa

- dependent on whether or not the patrol unit is moving or stationary. This unit comes equipped with needed antennas, mounts, cables and LED three window display.
- 126. Control Light Sensor Model # 75853DS. This light sensor connects directly the exterior lighting control console and enables light patterns to further be changed due to the light in the immediate area of the patrol vehicle.
- 127. Havis 2021 Ford Interceptor Utility Specific Flat Console# C-VS-0618-INUT. Model # CUP2-1001 self-adjusting double cup holder. Model # C-PM-124 recessed Brother Pocket Jet Printer. Model # C-EB40-CCS-1P equipment bracket for Whelen CanTrol CANCTL6; (3) Model # C-MCB Mic clip bracket; (3) MMSU-1 Magnetic mic clips; (1) C-ARM-103 armrest for top mount console, large pad; (1) Model # C-LP2-PS1-USB2 lighter plug outlet W/1 USB cut outs C-USB-2 dual USB charging port included. *Customer to supply radio model for additional mounting face plates (Radio TBA)
- 128. Havis Chargeguard-Select Model # CG-X, Self-contained circuit protection for a vehicle's Power system, regulated programmable timer, mounted in console.
- 129. American Aluminum EZRIDER K9 Cage
- 130. ACE K9 Hot-N-Pop PRO Complete Electronic System (model# HP-5020)
- 131. ACE Fan Option
- 132. ACE Engine Stall Sensor
- 133. ACE AceWatchDog Wireless Alert System.
- 134. ACE No K9 Left Behind system
- 135 Tremco anti-theft system

***** **NOTES**:

- Please add computer equipment mounts as required to include antenna and printer
- Successful Vendor MUST be certified in Cantrol installations by Whelen Engineering Inc.
- Pre-wire UHF two radio, remote head and antenna (WPD will supply radio)
- Pre-wire 800mhz charger/cradle (mounted on cage)
- Magnetic mics will installed for two radio mics

Graphics:

1- No Graphics Package for the K9 vehicles, except for inside doors safety reflective kit

Bid Specifications for Traffic Division

SPECIFICATIONS FOR THREE (3) 2021 OR CURRENT MODEL YEAR UNMARKED FORD POLICE INTERCEPTOR UTILITY COLOR BLACK

To be Standard Factory equipped Police Package-K8A

	Vehicle Features	Provided Per Spec		Sales Code	Comments
		Yes	No		
1.	9" Space between driver's				
	seat and front passenger seat				
2.	for aftermarket consoles			44J	
2.	6 Speed Automatic transmission			44J	
3.	Two 12-volt power points				
4.	75-mph rear crash tested				
5.	Air Bags- front and				
<i>J</i> .	supplemental side air bags				
6.	Air Conditioning- factory				
0.	installed w/ integral heater				
	and defroster				
7.	Alternator- heavy duty				
	220amp				
8.	Antennae-Integrated in rear				
	window				
9.	Audio—AM/FM				
	stereo/single CD player w/				
	MP3 capability; clock and				
	6 speakers				
10.	Battery- Heavy duty 78				
	amp-hr/750 CCA				
1.1	Doubles Andreal because				
11.	Brakes- 4 wheel heavy				
	duty-disc w/ anti-lock				
	brake system (ABS-police calibrated) w/ power				
	booster				
12.	Built in steel intrusion				
12.	plates in both front seat				
	backs				
13.	Climate Controls- manual				
	air conditioning				
14.	Column Shifter				
15.	Console Mounting Plate-				
	front				
16.	Cooling system- heavy				
	duty				
17.	Cruise Control				

	I	T	1	
18.	Dark Car Feature Courtesy		43D	
	Lamp Disable			
19.	Dome Light Cargo Area		17T	
20.	Door Handles-Body Color			
21.	Door locks-power			
22.	Rear door Handles Control		68G	
22.	INOP		000	
23.	Hidden door-lock plunger		52P	
23.	w/ rear door controls INOP		321	
2.4				
24.	Electric power assisted			
	steering			
25.	Electrical- 12V center			
	console power outlet			
26.	Electrical-police specific-			
	High/low current			
	Including 6 independent 20			
	amp circuits			
	Including Vehicle Systems			
	Interface Module (VSIM)			
27.	Emissions- 50 State			
28.	Engine- 3.31 V6 gas engine		99B	
29.	Engine hour meter		772	
30.	Engine idle meter			
31.	Exhaust- Dual rear exhaust			
32.				
	Floor cover and mats- black			
33.	Flooring- heavy duty vinyl			
34.	Ford Sync			
35.	Fuel System- easy capless			
	fuel filler			
36.	Fuel system- 19.1 gallon			
	fuel tank capacity			
37.	Fuel system- remote fuel			
	door release			
38.	Glass- acoustic windshield			
39.	Glass- acoustic front door			
	glass			
40.	Glass- solar tinted			
41.	Grille- black grille w/ black			
11.	honeycomb			
42.	Headliner-easy to drop			
43.	Hill Start Assist			
44.	Horns- Dual Note electric			
	horns			
45.	Instrument cluster w/ Tach			
	including outside			
	temperature display			

46.	Key locks- exterior driver,			
40.	front-passenger, and deck			
	lid			
47.	Keys-Four Fleet Keys		59B	(1284X)
48.	Keys- Keyless Go- 4 fobs		55F	(120-21)
49.	License plate bracket-front		331	
50.	Lighting- headlamps,			
50.	projector beam halogen			
51.	Headlamp housing			
	-pre-drilled hole for side			
	marker police use			
	-pre-molded side			
	warning LED holes			
	with standard twist lock			
	sealed capability			
52.	Lighting- Glove box Lamp			
53.	Lighting-Under hood Lamp			
54.	Lighting- Truck lamp			
55.	Lighting- Dome lamp-			
	front – red/white			
56.	Lighting- spot lamp- driver only (LED bulb)		51R	
57.	Global Lock/ Unlock		18D	
57.	feature		102	
58.	Mirrors- power side view,		549	
	manual foldaway with		55B	
	integrated blind spot			
	mirrors			
59.	Mirrors- exterior mirrors			
	body color			
60.	Power adjustable pedals			
61.	Power train mounts- heavy			
	duty			
62.	Police Group			
63.	Radio- UCONNECT Touch			
	4.3 CD/MP3			
	Including:			
	-4.3" touch screen display			
	-Remote USB Port			
	-Audio jack input for			
	mobile devices			
	-steering wheel mounted			
61	Controls Destroint System Adv			
64.	Restraint System- Adv			
65	Multistage front airbags			
65.	Restraint System- Supp.			
66	Side curtain airbags Pastraint system, Supp			
66.	Restraint system- Supp. Front seat side airbags			
	Tront scat side andags	18		

67.	Restraints- active head			
	restraint			
68.	Reverse sensing system	7	6R	
69.	Seat- front heavy duty			
	cloth, 6 way power driver's			
	seat with manual lumbar			
70.	Police Perimeter alert	6	8B	
71.	Pre-collision assist with			
70	pedestrian detection		7 .	
72.	Police engine idle		7A	
73.	Rear camera on demand	1	9V	
74.	Seat- front heavy duty cloth			
75.	passenger Seat- real vinyl bench			
76.	Seats- rear fixed seat			
77.	Special service group			
78.	Speed Control			
79.	Speedometer- certified 160			
1).	MPH			
80.	Stability Control -			
	electronic			
81.	Steering wheel- tilt/limited			
	telescopic			
82.	Steering wheel- leather			
0.0	wrapped			
83.	Suspension- heavy duty,			
	front and rear stabilizer			
84.	bars Sugmention independent			
04.	Suspension- independent front and rear			
85.	Tail lamps- Halogen			
86.	Tires- P255/60R18 A/S			
00.	BSW -Performance tire			
87.	Tire pressure monitoring			
	display			
88.	Tires- full size spare wheel			
	and tire			
89.	Trunk/cargo area- flat load			
	floor	 		
90.	Underbody deflector plate			
91.	Warranty- 5 year/ 100,000			
	Mile Limited Power train			
92.	Wheels- heavy duty 18"			
	steel, 5-spoke			
93.	Wheels- set of 4 heavy duty			
	18" full face wheel covers			
0.4	with metal clips			
94.	Small center caps			

95.	Windshield wipers- variable intermitted			
96.	Windows- power front, one touch up/down			
97.	Windows- rear window defroster			
98.	Windows- remote windows down			
99.	Windows- rear window power disable		68G	
100.	Keys- Four keys to be supplied with vehicle			
101.	Speedometer- Certified, calibrated 0-140MPH speedometer. Certification to be supplied with vehicle			
102.	Warranty- Three year, 36,000 mile basic warranty, and five year/100,000 mile Powertrain warranty. No deductible			

DEALER NAME

Dealer's name or emblems **ARE NOT** to be placed on vehicles.

VEHICLE INVOICES

All bids shall include final vehicle invoices from the manufacturer showing all four (4) levels of incentives/government discounts. Invoices shall match final bid proposal.

PRE-DELIVERY

Prior to delivery, the vehicle(s) shall be serviced and inspected by the dealer. The Vendor shall be responsible for complete "New Car Delivery" inspection. The engine, transmission, differential, and cooling system shall be filled to the manufacturer's recommended capacity and the "GAS TANK FILLED" prior to delivery. All vehicle(s) will receive a "New Car" cleaning and preparation prior to delivery. All equipment shall be completely installed and adjustments made prior to delivery to make this vehicle(s) available for immediate use. Vehicle(s) shall be free of defects when delivered. If deficiencies found cannot be corrected within two (2) business days, the vehicle(s) will be deleted from the invoice and payment will not be made until corrective action is taken and the vehicle is reinspected and accepted. It shall be the responsibility of the Vendor for pickup and delivery of the vehicle(s) for re-inspection.

SHIPMENT AND DELIVERY OF VEHICLE

The Dealer/Vendor may have the vehicle(s) drop shipped to the "Emergency Package Vendor" for convenience. If this is not possible, the Dealer will be responsible for transportation of the vehicle(s) from his/her establishment to the Emergency Package Vendor. IT WILL THEN BE THE RESPONSIBILITY OF THE DEALER/VENDOR TO TRANSPORT THE VEHICLE(S) FROM THE EMERGENCY PACKAGE VENDOR TO THE DELIVERY POINT, WHICH IS AS FOLLOWS (If elected by the Warwick Police Department- See pricing page):

Warwick, RI Police Department Headquarters

THE SUCCESSFUL BIDDER SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE FOLLOWING DEALER SUPPLIED EQUIPMENT AND GRAPHICS

The Warwick Police Department reserves the right to change, alter, or modify the specs as needed. All emergency equipment will be installed as specified in the vehicle manufacturers OEM up fitter's guide for the current model year. Bid price **shall include** all necessary cabling, parts and connectors needed. Any substitutions must be approved by the Department prior to installation. All warning light equipment shall be AMECA certified to meet the requirements of SAE J845 Class 1, and J595 Class 1. As a requirement of SAE J595, all warning lights must be certified to meet the requirements of SAE J576 material performance criteria.

Equipment-

- 103. Whelen Front Inner Edge XLP WeCan DUO+ Extra Low Profile Series LED Light bar Model # IW34UFX. Fully populated with 6-LED upper front series, low current switching, low power, scan-lock flash patterns and included mounting kit. Advanced Thermal Design to reduce the stress on LEDs during extended dwell time, automatic photocell for day/night operation. Five year warranty.
- 104. N/A
- 105. Whelen VertexTM Super-LED® Light Model VTX609C Color White and VTX609R Color Red. Whelen Vertex Super LED Hideaway Model # VTX609C and VTX609R. (Driver and passenger side color white and red). Installed in OEM headlight cut out with 25 Scan-Lock flash patterns. Omni Directional Light head with 9' cable, lamp and in-line lamp driver are fully encapsulated for moisture and vibration resistance. Five year warranty.
- 106. Whelen Outer Edge Rear Facing Upper Exterior Mount Model # OEWS34. ION Super LED allows individual control of each lighthead color. This is a six lamp two piece exterior LED. Each light head includes a pigtail with a weather resistant mini-connector, light heads are fully encapsulated for moisture, vibration, and corrosion resistance; Hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 107. Whelen ION T Series DUO LED Model # TLI2D (Red/White- Driver's side rear license plate),
 - # TLI2E (Blue/White- Passenger's side rear license plate), low profile design, includes black
 - flange and 4 wires 6" pigtail, 33 scan lock flash pattern; Hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 108. Whelen LINSV2 V Series LED Model # LINSV2R (Red-Driver's side mirror) and # LINSV2B (Blue- Passenger's side mirror) to include Model # LSVBKT34 under-the-side view mirror mount for two LINSV2 series light heads, combination 180° warning and puddle light, warning segment includes 25 scan-lock flash patterns, hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.

- 109. Whelen T ION Model # TLI2D Red- (1) driver's front and (1) rear fender and # TLI2E Blue-Passenger's (1) front and (1) rear fender. Ultra-compact, high intensity optic, 25 scan lock flash patterns, hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 110. Whelen Vertex Super LED Hideaway Model # VTX609C (Reverse lights- Driver/Passenger)
 Omni Directional Light head with 9' cable, lamp and in-line lamp driver are fully
 encapsulated

for moisture and vibration resistance. Five year warranty.

111. Whelen Vertex Super LED Hideaway Model # VTX609R (Tail lights- driver/passenger)
Omni Directional Light head with 9' cable, lamp and in-line lamp driver are fully
encapsulated

for moisture and vibration resistance. Five year warranty.

112. Whelen CanTrol WC Light and Siren System Model # CANWCT2 Amplifier/Control Module

with thirty-two, 2-1/2 amp outputs, three low current 1/4 amp outputs, eight programmable 10 amp positive/negative outputs, Traffic advisor module and three diagnostix indicators. To include Model # CC5K1 installation kit and Model # CANCTL6 with 3 section control head, 8 push-buttons, 4-position slide switch with a 7-position rotary knob. Manual air horn plus 3 traffic advisor switches and microphone with extension cable.

- 113. Whelen IONTM Mini T-Series LED Model TLMIR (Red-Driver's side exterior plate light trim facing down) TLMIB (Blue-Passenger's side exterior plate light trim facing down), low profile design. Includes black flange, 25 scan lock flash pattern; hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 114. Whelen 100 watt Siren Speaker Model # SA315P and SAK66D bracket. Siren to be installed on push bumper. All weather nylon composite black housing with front loaded, powder coated speaker driver. Two year warranty.
- 115. Whelen Howler Low Frequency Tone Siren Model # HWLUNI with included universal mounting bracket. Two year warranty.
- 116. Whelen Micron™ Stud Mount Series Super-LED® Light head Model # MCRNTRX (Driver's Grill knock out); #MCRNTBX (Passenger's Grill Knock out) includes 25 scan-lock flash patterns; hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 117. Whelen ION DUO LED Model # I2D (Red/White- Driver's Lower Grill) and # I2E (Blue/White Passenger's Lower Grill). Universal mount, two color interleaved LEDs and advanced linear super led optics, 64 scan lock flash patterns; Hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five-year warranty.
- 118. Whelen Pioneer SlimLine Series 12 VDC Super-LED standard Spotlight Model # PSL1B. This spot light includes interchangeable flood lens installed on lower part of push bumper. These lenses are hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.

- 119. Whelen Tracer Series Super-LED Light TRIO Array Model # TCRHT5. This is a 5 Lamp system with housing and "L" bracket mounting for under both doors under both the driver's and passenger's sides. These lenses are hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 120. Whelen Outer Edge Rear Pillar Exterior Mout ION Super-LED Model # RPWS34. Allows for individual control of each lighthead color individually. This is a two piece six lamp system with three lamps on the passenger rear side and three lamps on the driver rear side. These lenses are hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 121. Pro Gard Pro-Cell Prisoner Transport Systems with outboard seat belts Model # P1000UINT20AOSB. Includes: ½ or full partition; transport seat; floor pan, pair door panels,
 - pair window armor, lower extension panel, poly divider, poly window barrier & outboard seat belts.
- 122. Pro Gard Dual-Lock D T-Rail Mount Small Lock & Universal XL Lock with Handcuff Key Model # GK10301S1UKSSCAXL.
- 123. Westin Police Interceptor Utility Push Bar Model # 36-2125. This push bar will be mounted to the front of the vehicle.
- 124. Pro Gard Cargo Barrier-- 1 of the following:
 - a. Model # B4702UINT20- 1/4" Poly, cargo barrier with filler panels (for use w/ side curtain airbags in police package only); or
 - b. Model # B4705UINT20- 7 Gauge Steel Wire, cargo barrier with filler panels (for use w/ side curtain airbags in police package only).
- 125. Trunk Vault single drawer elevated cabinet. Elevated cabinet will allow access to spare tire. Cabinet must fit into the rear trunk area of Ford Police Interceptor and be the brand of Trunk Vault or comparable.
- 126. Stalker Dual SL Ka Band RADAR System Model #SDSL2Ka with compatible mounting brackets for all components. This is a front and rear dual system RADAR unit. This unit will measure the speeds of other "Target" vehicles from a stationary post or while moving. The RADAR unit will automatically switch from moving to stationary and vice versa dependent on whether or not the patrol unit is moving or stationary. This unit comes equipped with needed antennas, mounts, cables and LED three window display.
- 127. Control Light Sensor Model # 75853DS. This light sensor connects directly the exterior lighting control console and enables light patterns to further be changed due to the light in the immediate area of the patrol vehicle.
- 128. Havis 2021 Ford Interceptor Utility Specific Flat Console# C-VS-0618-INUT. Model # CUP2-1001 self-adjusting double cup holder. Model # C-PM-124 recessed Brother Pocket Jet Printer. Model # C-EB40-CCS-1P equipment bracket for Whelen CanTrol CANCTL6;

- (3) Model # C-MCB Mic clip bracket; (3) MMSU-1 Magnetic mic clips; (1) C-ARM-103 armrest for top mount console, large pad; (1) Model # C-LP2-PS1-USB2 lighter plug outlet W/1 USB cut outs C-USB-2 dual USB charging port included.
- *Customer to supply radio model for additional mounting face plates (Radio TBA)
- 129. Havis Chargeguard-Select Model # CG-X, Self-contained circuit protection for a vehicle's Power system, regulated programmable timer, mounted in console.

***** **NOTES**:


- Please add computer equipment mounts as required to include antenna and printer
- Successful Vendor MUST be certified in Cantrol installations by Whelen Engineering Inc.
- Pre-wire UHF two radio, remote head and antenna (WPD will supply radio)
- Pre-wire 800mhz charger/cradle (mounted on cage)
- Magnetic mics will be installed on two way radio mics

Graphics:

The WPD Graphics package for the 2021 or current model year Ford Police Interceptor Utility shall be (GHOST GRAPHICS) <u>3M680 Reflective Vinyl.</u> Per department specs- See attached picture for new Design and Placement.

****One Vehicle will be done up as a prototype with WPD graphics and approved by WPD fleet manager

- 2- Hood: subdued "POLICE" (2"X18")
- 3- Driver's Side: Entire side front to rear (4") GHOST stripe, (8") subdued WPD dept. patch on fender, (3"X30") "WARWICK" on the GHOST stripe, (8"X72") subdued "POLICE" underneath the GHOST stripe, (3") subdued Traffic Wheel on the C pillar and (5"X10"), "dial 911" on rear quarter panel placed under the GHOST stripe
- 4- Rear Hatch:(1/2") GHOST stripe below the Ford Insignia, (3") subdued Traffic unit number left side, (4") subdued WPD patch/flag right side, below license plate (3"X48") subdued "WARWICK POLICE" and below that will be (3") subdued chevrons.
- 5- Passenger side: Entire side front to rear (4") GHOST stripe, (8") subdued WPD dept. patch on fender, (3"X30") "WARWICK" on the GHOST stripe, (8"X72") subdued "POLICE" underneath the GHOST stripe, (3") subdued Traffic Wheel on the C pillar and (5"X10"), "dial 911" on rear quarter panel placed under the GHOST stripe
- 6- Vehicle Numbers TBA (4) sets



Bid Specifications For Patrol Supervisors Vehicles

SPECIFICATIONS FOR FIVE (5) 2021 OR CURRENT MODEL YEAR UNMARKED FORD POLICE INTERCEPTOR UTILITY COLOR BLACK

To be Standard Factory equipped Police Package-K8A

	Vehicle Features	Provided Per Spec Yes No	Sales Code	Comments
1.	9" Space between driver's seat and front passenger seat for aftermarket consoles			
2.	6 Speed Automatic transmission		44J	
3.	Two 12-volt power points			
4.	75-mph rear crash tested			
5.	Air Bags- front and supplemental side air bags			
6.	Air Conditioning- factory installed w/ integral heater and defroster Climate Control Auxiliary air condition (rear air)		17A	
7.	Alternator- heavy duty 220amp			
8.	Antennae-Integrated in rear window			
9.	Audio—AM/FM stereo/single CD player w/ MP3 capability; clock and 6 speakers			
10.	Battery- Heavy duty 78 amp-hr/750 CCA			
11.	Brakes- 4 wheel heavy duty-disc w/ anti-lock brake system (ABS-police calibrated) w/ power booster			
12.	Built in steel intrusion plates in both front seat backs			
13.	Climate Controls- manual air conditioning			
14.	Column Shifter			
15.	Console Mounting Plate- front			
16.	Cooling system- heavy duty			

17.	Cruise Control		
18.	Dark Car Feature Courtesy	43D	
	Lamp Disable		
19.	Dome Light Cargo Area	17T	
20.	Door Handles-Body Color		
21.	Door locks-power		
22.	Rear door Handles Control	68G	
	INOP		
23.	Hidden door-lock plunger	52P	
	w/ rear door controls		
	INOP		
24.	Electric power assisted		
	steering		
25.	Electrical- 12V center		
	console power outlet		
26.	Electrical-police specific-		
	High/low current		
	Including 6 independent		
	20 amp circuits		
	Including Vehicle Systems		
	Interface Module (VSIM)		
27.	Emissions- 50 State		
28.	Engine- 3.31 V6 gas	99B	
	engine		
29.	Engine hour meter		
30.	Engine idle meter		
31.	Exhaust- Dual rear		
	exhaust		
32.	Floor cover and mats-		
	black		
33.	Flooring- heavy duty vinyl		
34.	Ford Sync		
35.	Fuel System- easy capless		
	fuel filler		
36.	Fuel system- 19.1 gallon		
	fuel tank capacity		
37.	Fuel system- remote fuel		
	door release		
38.	Glass- acoustic windshield		
39.	Glass- acoustic front door		
4.0	glass		
40.	Glass- solar tinted		
41.	Grille- black grille w/		
	black honeycomb		
42.	Headliner-easy to drop		
43.	Hill Start Assist		
44.	Horns- Dual Note electric		
	horns		

45.	Instrument cluster w/ Tach			
43.	including outside			
	temperature display			
46.	Key locks- exterior driver,			+
10.	front-passenger, and deck			
	lid			
47.	Keys-Four Fleet Keys		59B	(1284X)
48.	Keys- Keyless Go- 4 fobs		55F	(120 112)
49.	License plate bracket-front			
50.	Lighting- headlamps,			
	projector beam led			
51.	Headlamp housing			
	-pre-drilled hole for side			
	marker police use			
	-pre-molded side			
	warning LED holes			
	with standard twist lock			
	sealed capability			
52.	Lighting- Glove box Lamp			
53.	Lighting-Under hood			
	Lamp			
54.	Lighting- Truck lamp			
55.	Lighting- Dome lamp-			
	front – red/white			
56.	Lighting- spot lamp-		51R	
57	driver only (LED bulb) Global Lock/ Unlock		100	1
57.	feature		18D	
58.	Mirrors- power side view,		549	
50.	manual foldaway with		347	
	integrated blind spot			
	mirrors			
59.	Mirrors- exterior mirrors			
	body color			
60.	Power adjustable pedals			
61.	Power train mounts- heavy			
	duty			
62.	Police Group			
63.	Radio- UCONNECT			
	Touch 4.3 CD/MP3			
	Including:			
	-4.3" touch screen			
	display			
	-Remote USB Port			
	-Audio jack input for			
	mobile devices			
	-steering wheel mounted			
	controls	28		

Multistage front airbags 65. Restraint System- Supp. Side curtain airbags 66. Restraint system- Supp. Front seat side airbags 67. Restraints- active head restraint 68. Reverse sensing system 69. Seat- front heavy duty cloth, 6 way power driver's seat with manual lumbar 70. Police Perimeter alert 71. Pre-collision assist with pedestrian detection 72. Police engine idle 73. Rear camera on demand 74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speed Control 79. Speed Control 79. Stability Control electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW-Performance tire 87. Tire pressure monitoring display	<i>-</i> 1	D				
65. Restraint System-Supp. 66. Restraint system-Supp. Front seat side airbags 67. Restraints active head restraint 68. Reverse sensing system 69. Seat- front heavy duty cloth, 6 way power driver's seat with manual lumbar 70. Police Perimeter alert 71. Pre-collision assist with pedestrian detection 72. Police engine idle 73. Rear camera on demand 74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- real fixed seat 77. Special service group 78. Speed Control 79. Speed Control 80. Stability Control electronic 81. Steering wheel- leather wrapped 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW-Performance tire 87. Tire pressure monitoring display	64.	Restraint System- Adv				
Side curtain airbags 66. Restraint system—Supp. Front seat side airbags 67. Restraints—active head restraint 68. Reverse sensing system 69. Seat- front heavy duty cloth, 6 way power driver's seat with manual lumbar 70. Police Perimeter alert 71. Pre-collision assist with pedestrian detection 72. Police engine idle 73. Rear camera on demand 74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats—real vinyl bench 77. Special service group 78. Special service group 79. Speed Control 79. Speedometer—certified 160 MPH 80. Stability Control—electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension—heavy duty, front and rear stabilizer bars 84. Suspension—independent front and rear 85. Tail lamps—Halogen 86. Tires—P255/60R18 A/S BSW—Performance tire 87. Tire pressure monitoring display						
66. Restraint system- Supp. Front seat side airbags 67. Restraints- active head restraint 68. Reverse sensing system 69. Seat- front heavy duty cloth, 6 way power driver's seat with manual lumbar 70. Police Perimeter alert 71. Pre-collision assist with pedestrian detection 72. Police engine idle 73. Rear camera on demand 74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- real vinyl bench 77. Speed Control 79. Speed Control 79. Speed MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW-Performance tire 87. Tire pressure monitoring display	65.					
Front seat side airbags 67. Restraints- active head restraint 68. Reverse sensing system 69. Seat- front heavy duty cloth, 6 way power driver's seat with manual lumbar 70. Police Perimeter alert 71. Pre-collision assist with pedestrian detection 72. Police engine idle 73. Rear camera on demand 74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speeddometer- certified 160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW-Performance tire 87. Tire pressure monitoring display						
67. Restraints - active head restraint 68. Reverse sensing system 69. Seat- front heavy duty cloth, 6 way power driver's seat with manual lumbar 70. Police Perimeter alert 71. Pre-collision assist with pedestrian detection 72. Police engine idle 73. Rear camera on demand 74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speed ontrol 79. Speed ontrol 79. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display	66.					
restraint 68. Reverse sensing system 69. Seat- front heavy duty cloth, 6 way power driver's seat with manual lumbar 70. Police Perimeter alert 71. Pre-collision assist with pedestrian detection 72. Police engine idle 73. Rear camera on demand 74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speedometer- certified 160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW-Performance tire 87. Tire pressure monitoring display		Front seat side airbags				
68. Reverse sensing system 69. Seat- front heavy duty cloth, 6 way power driver's seat with manual lumbar 70. Police Perimeter alert 71. Pre-collision assist with pedestrian detection 72. Police engine idle 73. Rear camera on demand 74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speed Control 79. Speed meter- certified 160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display	67.	Restraints- active head				
69. Seat- front heavy duty cloth, 6 way power driver's seat with manual lumbar 70. Police Perimeter alert 71. Pre-collision assist with pedestrian detection 72. Police engine idle 73. Rear camera on demand 74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speedometer- certified 160 MPH 80. Stability Control electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW-Performance tire 87. Tire pressure monitoring display		restraint				
69. Seat- front heavy duty cloth, 6 way power driver's seat with manual lumbar 70. Police Perimeter alert 71. Pre-collision assist with pedestrian detection 72. Police engine idle 73. Rear camera on demand 74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speedometer- certified 160 MPH 80. Stability Control electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW-Performance tire 87. Tire pressure monitoring display	68.	Reverse sensing system			76R	
cloth, 6 way power driver's seat with manual lumbar 70. Police Perimeter alert 71. Pre-collision assist with pedestrian detection 72. Police engine idle 73. Rear camera on demand 74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speed Metl- certified 160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW-Performance tire 87. Tire pressure monitoring display	69.	<u> </u>				
driver's seat with manual lumbar 70. Police Perimeter alert 71. Pre-collision assist with pedestrian detection 72. Police engine idle 73. Rear camera on demand 74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speedometer- certified 160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW-Performance tire 87. Tire pressure monitoring display						
lumbar 70. Police Perimeter alert 71. Pre-collision assist with pedestrian detection 72. Police engine idle 73. Rear camera on demand 74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speedometer- certified 160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW - Performance tire 87. Tire pressure monitoring display						
70. Police Perimeter alert 71. Pre-collision assist with pedestrian detection 72. Police engine idle 73. Rear camera on demand 74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speedometer- certified 160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW - Performance tire 87. Tire pressure monitoring display						
71. Pre-collision assist with pedestrian detection 72. Police engine idle 73. Rear camera on demand 74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speedometer- certified 160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW-Performance tire 87. Tire pressure monitoring display	70	1			68B	
pedestrian detection 72. Police engine idle 73. Rear camera on demand 74. Seats front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speedometer- certified 160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display						
72. Police engine idle 47A 73. Rear camera on demand 19V 74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speedometer- certified 160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display	/1.				701	
73. Rear camera on demand 74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speedometer- certified 160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display	72	1 2	 		17 A	
74. Seat- front heavy duty cloth passenger 75. Seat- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speedometer- certified 160 MPH 80. Stability Control electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display						
cloth passenger 75. Seat- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speedometer- certified 160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display					190	
75. Seat- real vinyl bench 76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speedometer- certified 160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display	/4.					
76. Seats- rear fixed seat 77. Special service group 78. Speed Control 79. Speedometer- certified 160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display						
77. Special service group 78. Speed Control 79. Speedometer- certified 160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display						
78. Speed Control 79. Speedometer- certified 160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display						
79. Speedometer- certified 160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display						
160 MPH 80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display		1				
80. Stability Control - electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display	79.					
electronic 81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display		1				
81. Steering wheel- tilt/limited telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display	80.	Stability Control -				
telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display		electronic				
telescopic 82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display						
82. Steering wheel- leather wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display	81.	Steering wheel- tilt/limited				
wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display		telescopic				
wrapped 83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display	82.	Steering wheel- leather				
83. Suspension- heavy duty, front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display		_				
front and rear stabilizer bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display	83.					
bars 84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display						
84. Suspension- independent front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display						
front and rear 85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display	84.					
85. Tail lamps- Halogen 86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display	0					
86. Tires- P255/60R18 A/S BSW -Performance tire 87. Tire pressure monitoring display	85	1				
BSW -Performance tire 87. Tire pressure monitoring display						
87. Tire pressure monitoring display	00.					
display	Q7			+	+	
	0/.					
VV Tirea tull aiza anara	00	- ·				
88. Tires- full size spare	oð.					
wheel and tire	00					
89. Trunk/cargo area- flat load	89.	_				
floor	0.0					
LUIL LIndorhody dotloctor ploto	90.	Underbody deflector plate	<u></u>			

F			T	T
91.	Warranty- 5 year/ 100,000			
	Mile Limited Power train			
92.	Wheels- heavy duty 18"			
	steel, 5-spoke			
93.	Wheels- set of 4 heavy			
	duty 18" full face wheel			
	covers with metal clips			
94.	Small center caps			
95.	Windshield wipers-			
	variable intermitted			
96.	Windows- power front,			
	one touch up/down			
97.	Windows- rear window			
	defroster			
98.	Windows- remote			
	windows down			
99.	Windows- rear window		68G	
	power disable			
100.	Keys- Four keys to be			
	supplied with vehicle			
101.	Speedometer- Certified,			
	calibrated 0-140MPH			
	speedometer. Certification			
102	to be supplied with vehicle			
102.	Warranty- Three year,			
	36,000 mile basic warranty, and five year/100,000 mile			
	Powertrain warranty. No			
	deductible			
		1	l	

DEALER NAME

Dealer's name or emblems **ARE NOT** to be placed on vehicles.

VEHICLE INVOICES

All bids shall include final vehicle invoices from the manufacturer showing all four (4) levels of incentives/government discounts. Invoices shall match final bid proposal.

PRE-DELIVERY

Prior to delivery, the vehicle(s) shall be serviced and inspected by the dealer. The Vendor shall be responsible for complete "New Car Delivery" inspection. The engine, transmission, differential, and cooling system shall be filled to the manufacturer's recommended capacity and the "GAS TANK FILLED" prior to delivery. All vehicle(s) will receive a "New Car" cleaning and preparation prior to delivery. All equipment shall be completely installed and adjustments made prior to delivery to make this vehicle(s) available for immediate use. Vehicle(s) shall be free of defects when delivered. If deficiencies found cannot be corrected within two (2) business days, the vehicle(s) will be deleted from the invoice and payment will not be made until corrective action is taken and the vehicle is reinspected and accepted. It shall be the responsibility of the Vendor for pickup and delivery of the vehicle(s) for re-inspection.

SHIPMENT AND DELIVERY OF VEHICLE

The Dealer/Vendor may have the vehicle(s) drop shipped to the "Emergency Package Vendor" for convenience. If this is not possible, the Dealer will be responsible for transportation of the vehicle(s) from his/her establishment to the Emergency Package Vendor. IT WILL THEN BE THE RESPONSIBILITY OF THE DEALER/VENDOR TO TRANSPORT THE VEHICLE(S) FROM THE EMERGENCY PACKAGE VENDOR TO THE DELIVERY POINT, WHICH IS AS FOLLOWS (If elected by the Warwick Police Department- See pricing page):

Warwick, RI Police Department Headquarters 99 Veterans Memorial Drive Warwick, RI 02886 401-468-4362

THE SUCCESSFUL BIDDER SHALL BE RESPONSIBLE FOR THE INSTALLATION OF THE FOLLOWING DEALER SUPPLIED EQUIPMENT AND GRAPHICS

The Warwick Police Department reserves the right to change, alter, or modify the specs as needed. All emergency equipment will be installed as specified in the vehicle manufacturers OEM up fitter's guide for the current model year. Bid price **shall include** all necessary cabling, parts and connectors needed. Any substitutions must be approved by the Department prior to installation. All warning light equipment shall be AMECA certified to meet the requirements of SAE J845 Class 1, and J595 Class 1. As a requirement of SAE J595, all warning lights must be certified to meet the requirements of SAE J576 material performance criteria.

Equipment-

- 103. Whelen Front Inner Edge XLP WeCan DUO+ Extra Low Profile Series LED Light bar Model # IW34UFX. Fully populated with 6-LED upper front series, low current switching, low power, scan-lock flash patterns and included mounting kit. Advanced Thermal Design to reduce the stress on LEDs during extended dwell time, automatic photocell for day/night operation. Five year warranty.
- 104. N/A
- 105. Whelen VertexTM Super-LED® Light Model VTX609C Color White and VTX609R Color Red. Whelen Vertex Super LED Hideaway Model # VTX609C and VTX609R. (Driver and passenger side color white and red). Installed in OEM headlight cut out with 25 Scan-Lock flash patterns. Omni Directional Light head with 9' cable, lamp and in-line lamp driver are fully encapsulated for moisture and vibration resistance. Five year warranty.
- 106. Whelen Outer Edge Rear Facing Upper Exterior Mount Model # OEWS34. ION Super LED allows individual control of each lighthead color. This is a six lamp two piece exterior LED. Each light head includes a pigtail with a weather resistant mini-connector, light heads are fully encapsulated for moisture, vibration, and corrosion resistance; Hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 107. Whelen ION T Series DUO LED Model # TLI2D (Red/White- Driver's side rear license plate),
 - # TLI2E (Blue/White- Passenger's side rear license plate), low profile design, includes black

flange and 4 wires 6" pigtail, 33 scan lock flash pattern; Hard-coated lenses to minimize

environmental damage from the sun, salt, and road chemicals. Five year warranty.

- 108. Whelen LINSV2 V Series LED Model # LINSV2R (Red-Driver's side mirror) and # LINSV2B (Blue- Passenger's side mirror) to include Model # LSVBKT34 under-the-side view mirror mount for two LINSV2 series light heads, combination 180° warning and puddle light, warning segment includes 25 scan-lock flash patterns, hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 109. Whelen T ION Model # TLI2D Red- (1) driver's front and (1) rear fender and # TLI2E Blue-Passenger's (1) front and (1) rear fender. Ultra-compact, high intensity optic, 25 scan lock flash patterns, hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 110. Whelen Vertex Super LED Hideaway Model # VTX609C (Reverse lights- Driver/Passenger)
 Omni Directional Light head with 9' cable, lamp and in-line lamp driver are fully encapsulated

for moisture and vibration resistance. Five year warranty.

111. Whelen Vertex Super LED Hideaway Model # VTX609R (Tail lights- driver/passenger)
Omni Directional Light head with 9' cable, lamp and in-line lamp driver are fully
encapsulated

for moisture and vibration resistance. Five year warranty.

112. Whelen CanTrol WC Light and Siren System Model # CANWCT2 Amplifier/Control Module

with thirty-two, 2-1/2 amp outputs, three low current 1/4 amp outputs, eight programmable 10 amp positive/negative outputs, Traffic advisor module and three diagnostix indicators. To include Model # CC5K1 installation kit and Model # CANCTL6 with 3 section control head, 8 push-buttons, 4-position slide switch with a 7-position rotary knob. Manual air horn plus 3 traffic advisor switches and microphone with extension cable.

- 113. Whelen ION™ Mini T-Series LED Model TLMIR (Red-Driver's side exterior plate light trim facing down) TLMIB (Blue-Passenger's side exterior plate light trim facing down), low profile design. Includes black flange, 25 scan lock flash pattern; hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 114. Whelen 100 watt Siren Speaker Model # SA315P and SAK66D bracket. Siren to be installed on push bumper. All weather nylon composite black housing with front loaded, powder coated speaker driver. Two year warranty.
- 115. Whelen Howler Low Frequency Tone Siren Model # HWLUNI with included universal mounting bracket. Two year warranty.
- 116. Whelen MicronTM Stud Mount Series Super-LED® Light head Model # MCRNTRX (Driver's Grill knock out); #MCRNTBX (Passenger's Grill Knock out) includes 25 scan-lock flash patterns; hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 117. Whelen ION DUO LED Model # I2D (Red/White- Driver's Lower Grill) and # I2E (Blue/White Passenger's Lower Grill). Universal mount, two color interleaved LEDs and

- advanced linear super led optics, 64 scan lock flash patterns; Hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five-year warranty.
- 118. Whelen Pioneer SlimLine Series 12 VDC Super-LED standard Spotlight Model # PSL1B. This spot light includes interchangeable flood lens installed on lower part of push bumper. These lenses are hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 119. Whelen Tracer Series Super-LED Light TRIO Array Model # TCRHT5. This is a 5 Lamp system with housing and "L" bracket mounting for under both doors under both the driver's and passenger's sides. These lenses are hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 120. Whelen Outer Edge Rear Pillar Exterior Mout ION Super-LED Model # RPWS34. Allows for individual control of each lighthead color individually. This is a two piece six lamp system with three lamps on the passenger rear side and three lamps on the driver rear side. These lenses are hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five year warranty.
- 121. Pro Gard Pro-Cell Prisoner Transport Systems with outboard seat belts Model # P1000UINT20AOSB. Includes: ½ or full partition; transport seat; floor pan, pair door panels,

pair window armor, lower extension panel, poly divider, poly window barrier & outboard seat belts.

- 122. Pro Gard Dual-Lock D T-Rail Mount Small Lock & Universal XL Lock with Handcuff Key Model # GK10301S1UKSSCAXL.
- 123. Westin Police Interceptor Utility Push Bar Model # 36-2125. This push bar will be mounted to the front of the vehicle.
- 126. Control Light Sensor Model # 75853DS. This light sensor connects directly the exterior lighting control console and enables light patterns to further be changed due to the light in the immediate area of the patrol vehicle.
- 127. Havis 2021 Ford Interceptor Utility Specific Flat Console# C-VS-0618-INUT. Model # CUP2-1001 self-adjusting double cup holder. Model # C-PM-124 recessed Brother Pocket Jet Printer. Model # C-EB40-CCS-1P equipment bracket for Whelen CanTrol CANCTL6; (3) Model # C-MCB Mic clip bracket; (3) MMSU-1 Magnetic mic clips; (1) C-ARM-103 armrest for top mount console, large pad; (1) Model # C-LP2-PS1-USB2 lighter plug outlet W/ 1 USB cut outs C-USB-2 dual USB charging port included.
 - *Customer to supply radio model for additional mounting face plates (Radio TBA)
- 128. Havis Chargeguard-Select Model # CG-X, Self-contained circuit protection for a vehicle's Power system, regulated programmable timer, mounted in console.

***** **NOTES**:

- Please add computer equipment mounts as required to include antenna and printer
- Successful Vendor MUST be certified in Core /Cantrol installations by Whelen Engineering Inc.

- Pre-wire (1) UHF two radio, Motorola 1500 or APX remote head with antenna and (1) 800MHZ Motorola model 1500 with antenna (*WPD will supply radio*)
- Pre-wire 800mhz charger/cradle (mounted on cage)
- Magnetic Mics will be installed on both radios mics

Graphics:

The WPD Graphics package for the 2021 or current model year Ford Police Interceptor Utility shall be <u>3M680 Reflective Vinyl.</u> Per department specs- See attached picture for new Design and Placement.

****One vehicle shall be made up as a prototype with the WPD graphics and approved by WPD Fleet manager

- 1- Hood: POLICE (2"X18")
- 2- Driver's Side: Entire side front to rear (4") blue stripe, (8") WPD dept patch on fender, (3"X30") "WARWICK" on the blue stripe, (8"X72") "POLICE" underneath the blue stripe, (3") unit number on the C pillar and dial (5"X10"), "911" on rear quarter panel placed under the blue stripe
- 3- Rear Hatch:(1/2") Blue stripe below the Ford Insignia, (3") unit number left side, (4") WPD patch/flag right side, below rear window (3"X48") "WARWICK POLICE" and bottom of tailgate/hatch, underneath the license plate will have 1 set of chevrons from left to right, blue reflective 10"to12" in height
- 4- Passenger side: Entire side front to rear (4") blue stripe, (8") WPD dept patch on fender, (3"X30) WARWICK on the blue stripe, (8"X72") POLICE underneath the blue stripe, (3") unit number on the C pillar and (5"X10") "dial 911" on rear quarter panel placed under the blue stripe
- 5- SUPERVISOR (2) each side rear quarter glass
- 6- Vehicle numbers TBA 4 sets per vehicle location will be advised



Bid Specifications for Administrative Vehicles SPECIFICATIONS FOR FIVE (5) 2021 OR CURRENT MODEL YEAR UNMARKED FORD POLICE INTERCEPTOR UTILITY COLOR TBD

To be Standard Factory equipped Police Package-K8A

	Vehicle Features	Provided Portion Yes	er Spec No	Sales Code	Comments
1.	Interior Upgrade Package - inc: Center Floor Console Less Shifter, console and top plate w/2 cup holders, (Maintains column shifter), SYNC 3 Communications & Entertainment System, 911 Assist, VHR, SYNC Services, AppLink, Bluetooth, steering wheel controls, USB port and auxiliary input jack, 1st & 2nd Row Carpet Floor Covering, front and rear floor mats			65U	
2.	6 Speed Automatic transmission			44J	
3.	Wheels: 18" Painted Aluminum -inc: Spare wheel is an 18" conventional (Police) black steel wheel			64E	
4.	75-mph rear crash tested				
5.	Air Bags- front and supplemental side air bags				
6.	Air Conditioning- factory installed w/ integral heater and defroster				
7.	Alternator- heavy duty 220amp				
8.	Antennae-Integrated in rear window				
9.	Audio—AM/FM stereo/single CD player w/ MP3 capability; clock and 6 speakers				
10.	Battery- Heavy duty 78 amp-hr/750 CCA				

	_			
11	Dualizaci 4 sybool boossy			
11.	Brakes- 4 wheel heavy			
	duty-disc w/ anti-lock			
	brake system (ABS-police calibrated) w/ power			
	booster			
12.	Built in steel intrusion			
12.	plates in both front seat			
	backs			
13.	Climate Controls- manual			+
13.	air conditioning			
14.	Column Shifter			
15.				
13.	Console Mounting Plate- front			
16.	Cooling system- heavy			+
10.	duty			
17.	Cruise Control			
18.	Dark Car Feature Courtesy		43D	
	Lamp Disable			
19.	Dome Light Cargo Area			
20.	Door Handles-Body Color			
21.	Door locks-power			
22.	Rear door Handles Control			
	INOP			
23.	Hidden door-lock plunger			
	w/ rear door controls INOP			
24.	Electric power assisted			
	steering			
25.	Electrical- 12V center			
	console power outlet			
26				
26.	Electrical-police specific-			
	High/low current			
	Including 6 independent			
	20 amp circuits Including Vehicle Systems			
	Interface Module (VSIM)			
27.	Emissions- 50 State			
28.	Engine- 3.31 V6 gas engine		99B	
29.	Engine hour meter		77 D	
30.	Engine idle meter			
31.	Exhaust- Dual rear exhaust			
32.	Floor cover and mats-			
۵۷.	black			
33.	Flooring- heavy duty vinyl			
34.	Ford Sync			
35.	Fuel System- easy capless			
55.	fuel filler			
	1001 111101	<u> </u>	L	

36.	Fuel system- 19.1 gallon		
	fuel tank capacity		
37.	Fuel system- remote fuel		
	door release		
38.	Glass- acoustic windshield		
39.	Glass- acoustic front door		
	glass		
40.	Glass- solar tinted		
41.	Grille- black grille w/		
10	black honeycomb		
42.	Headliner-easy to drop		
43.	Hill Start Assist		
44.	Horns- Dual Note electric		
	horns Instrument cluster w/ Tach		
45.	including outside		
٦٥.	temperature display		
46.	Key locks- exterior driver,		
	front-passenger, and deck		
	lid		
47.	Keys-Four Fleet Keys		
	·		
48.	Keys- Keyless Go- 4 fobs	55F	
49.	Liganga plata bugalzat fuant		
49.	License plate bracket-front		
50.	Lighting- headlamps,		
	projector beam halogen		
51.	Headlamp housing		
	-pre-drilled hole for side		
	marker police use		
	-pre-molded side		
	warning LED holes with standard twist lock		
	sealed capability		
	sealed capability		
52.	Lighting- Glove box Lamp		
53.	Lighting-Under hood		
	Lamp		
54.	Lighting- Truck lamp		
55.	Lighting- Dome lamp-		
	front – red/white		
56.	Lighting- spot lamp- driver		
	only (LED bulb)	1.05	
57.	Global Lock/ Unlock	18D	
	feature		

58.	Mirrors- power side view,	549	
	manual foldaway with		
	integrated blind spot		
	mirrors		
59.	Mirrors- exterior mirrors		
60	body color		
60. 61.	Power adjustable pedals Power train mounts- heavy		
01.	duty		
62.	Police Group		
63.	Radio- UCONNECT		
05.	Touch 4.3 CD/MP3		
	Including:		
	-4.3" touch screen display		
	-Remote USB Port		
	-Audio jack input for		
	mobile devices		
	-steering wheel mounted		
<i></i>	controls		
64.	Restraint System- Adv		
65.	Multistage front airbags		
03.	Restraint System- Supp. Side curtain airbags		
66.	Restraint system- Supp.		
00.	Front seat side airbags		
67.	Restraints- active head		
	restraint		
68.	Reverse sensing system	76R	
69.	Seat- front heavy duty		
	cloth, 6 way power		
	driver's seat with manual		
	lumbar		
70.	Police Perimeter alert		
71.	Pre-collision assist with		
72	pedestrian detection		
72.	Police engine idle Rear camera on demand		
73. 74.	Seat- front heavy duty		
/4.	cloth passenger		
75.	Seat- real vinyl bench		
76.	Seats- rear fixed seat		
77.	Special service group		
78.	Speed Control		
79.	Speedometer- certified 160		
	MPH		
80.	Stability Control -		
	electronic		
		 	

0.1	Ctooning wheel tilt/limited			
81.	Steering wheel- tilt/limited			
0.2	telescopic			
82.	Steering wheel- leather			
	wrapped			
83.	Suspension- heavy duty,			
	front and rear stabilizer			
	bars			
84.	Suspension- independent			
	front and rear			
85.	Tail lamps- Halogen			
86.	Tires- P255/60R18 A/S			
00.	BSW -Performance tire			
87.	Tire pressure monitoring			
67.	display			
88.				
00.	Tires- full size spare wheel			
00	and tire			
89.	Trunk/cargo area- flat load			
	floor			
90.	Underbody deflector plate			
91.	Warranty- 5 year/ 100,000			
	Mile Limited Power train			
92.	Wheels- heavy duty 18"			
	steel, 5-spoke			
93.	Wheels- set of 4 heavy			
	duty 18" full face wheel			
	covers with metal clips			
94.	Small center caps			
95.	Windshield wipers-			
,	variable intermitted			
96.	Windows- power front,			
70.	one touch up/down			
97.	Windows- rear window			
97.				
00	defroster			
98.	Windows- remote			
	windows down			
99.	Windows- rear window			
	power disable			
100.	Keys- Four keys to be			
101	supplied with vehicle			
101.	Speedometer- Certified,			
	calibrated 0-140MPH			
	speedometer. Certification to			
100	be supplied with vehicle			
102.	Warranty- Three year,			
	36,000 mile basic warranty,			
	and five year/100,000 mile			
	Powertrain warranty. No deductible			
	ucuuciivie	l	1	

Equipment- Admin vehicles

- 103. **Front Windshield** Whelen Front Inner Edge XLP WeCanX DUO pass side only. + Extra Low-Profile Series LED Light bar Model # BW50UF6P Fully populated with 6-LED upper front series 6 BWPE modules run by WecanX communication switching, low power, scanlock flash patterns and included mounting kit. Advanced Thermal Design to reduce the stress on LEDs during extended dwell time. Five-year warranty.
- 104. **Rear Windshield** Whelen Rear Inner Edge RST WecanX Series Low Profile Series Solo LED Light Bar Model # BS50Z. Fully populated with a 10 LED lamp tray. 5 ISSR and 5 ISSB modules. Rear facing Super-LED lightbars with Proclera Silicone Optics. Advanced Thermal Design to reduce the stress on LEDs during extended dwell time, use with automatic photocell for day/night operation. Five-year warranty.
- **105. Front Grill** Whelen Ion Duo- Model # I2D (Red/White- Driver's Lower Grill) and # I2E (Blue/White Passenger's Lower Grill). Universal mount, two color interleaved LEDs and advanced linear super led optics, 64 scan lock flash patterns; Hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five-year warranty.
- **106. Front Fog Area** Whelen T Ion Model # TLI2D Red- (1) Driver front and (1) # TLI2E Blue- Passenger front. Ultra-compact, high intensity optic, 25 scan lock flash patterns, hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five-year warranty.
- **107. Front Headlight-** Whelen Vertex Super LED Hideaway Model # VTX609C (Installed in OEM Headlight Cutout) Omni Directional Light head with 9' cable, lamp and in-line lamp driver are fully encapsulated for moisture and vibration resistance. Five-year warranty.
- 108. **Side Facing Under Mirror** Whelen LINSV2 V Series LED Model # LINSV2R (Red-Driver's side under mirror) and # LINSV2B (Blue- Passenger's side under mirror) to include Model # LSVBKT50 under-the-side view mirror mount for two LINSV2 series light heads, combination 180° warning and puddle light, warning segment includes 25 scan-lock flash patterns, hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five-year warranty.
- **109. Rear quarter glass-** Whelen Strip-Lite™ Plus Model PS#02FCR (Red /White Driver Side-Blue / White pass side). Mounted in rear ¼ glass with PSBKT90(2) bracket. Light is SAE Class 1 Certified IP67 DUO: 69 Scan-Lock flash patterns, including steady-burn, hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five-year warranty.
- **110. Rear Taillights-** Whelen VertexTM Super-LED® Light Model VTX609C Color White and VTX609R Color Red. (Installed in OEM taillights) 1 White Vertex in reverse housing and 1 Red in turn housing. Omni Directional Light head with 9' cable, lamp and in-line lamp driver are fully encapsulated for moisture and vibration resistance with 25 Scan-Lock flash patterns. Five-year warranty.

- **111. Rear Hatch** Whelen ION™ Mini T-Series LED Model TLMIR (Red-Driver's side exterior plate light trim facing down) TLMIB (Blue-Passenger's side exterior plate light trim facing down), low profile design. Includes black flange, 25 scan lock flash patterns; hard-coated lenses to minimize environmental damage from the sun, salt, and road chemicals. Five-year warranty.
- 112. **Siren Amp-** Whelen Cencom Core WecanX Light and Siren System Model # C399. 23 total built in outputs, 12 logic inputs, 1 ignition power-up input, 4 analog inputs, 1 ethernet connection, 1 WeCanX connection, 2 CANportTM, 1 USB-A host, 1 USB-C, 1 Micro SD card slot, diagnostic indicator. Battery voltage sensor, Temperature sensor, 3 axis accelerometer sensor. Has the ability to produce Dynamic Variable Intensity (DVITM) flash patterns. Processes over 65,000 virtual inputs any combination of 99 WeCanX devices, including support for multiple Whelen peripherals of the same type on the same vehicle. All 60 + CANport signals are configurable as triggerable Events at the same time, supports remote firmware updates through USB-C with Whelen Command. Core to be configured with OBD2 Install kit- C399K4 2020 Ford Interceptor Utility Gateway Installation Kit for use WITHOUT Ford 61B Factory Option and Whelen CV2V Vehicle To Vehicle Module, Includes Internal Antenna
- 113. **Control Head-** Whelen CCTL5 Includes Hand Held Combination Microphone and Controller, 5-Position Progressive Light/Siren Control, 9 Push-Buttons and a Microphone Extension Cable. Included in siren package but will not be used as primary input for Core-See Aux Siren Switches.
- 114. **Aux Siren Switches** shop to install department approved aux toggle switches for lights and siren operation. Switches will be installed in an agreed upon location by the department. These switches will be the primary activation of the Whelen Cencom Core features and the handheld siren will be the secondary method of lights and siren activation if the department chooses to use.
- 115. **Siren Speaker** Whelen 100-watt Siren Speaker Model # SA315P and SAK66D bracket. Siren to be installed behind front grill. All weather nylon composite black housing with front loaded, powder coated speaker driver. Two-year warranty.
- **116. Dashboard-** Whelen Photocell Model # Canliteb. This light sensor connects directly the Cencom Core and enables automatic situational decisions to change light patterns based on ambient light and vehicle response or park mode.
- **117. Console** Havis Chargeguard-Select Model # CG-X, Self-contained circuit protection for a vehicles Power system, regulated programmable timer, mounted in console. Customer to determine shut down delay duration.
- **118.** Console- Magnetic Mic clip MMSU-1(2) for radio and siren control head mounting.
- 119. Pre-wire UHF two radio, remote head and antenna (WPD will supply radio)

DEALER NAME

Dealer's name or emblems **ARE NOT** to be placed on vehicles.

VEHICLE INVOICES

All bids shall include final vehicle invoices from the manufacturer showing all four (4) levels of incentives/government discounts. Invoices shall match final bid proposal.

PRE-DELIVERY

Prior to delivery, the vehicle(s) shall be serviced and inspected by the dealer. The Vendor shall be responsible for complete "New Car Delivery" inspection. The engine, transmission, differential, and cooling system shall be filled to the manufacturer's recommended capacity and the "GAS TANK FILLED" prior to delivery. All vehicle(s) will receive a "New Car" cleaning and preparation prior to delivery. All equipment shall be completely installed and adjustments made prior to delivery to make this vehicle(s) available for immediate use. Vehicle(s) shall be free of defects when delivered. If deficiencies found cannot be corrected within two (2) business days, the vehicle(s) will be deleted from the invoice and payment will not be made until corrective action is taken and the vehicle is reinspected and accepted. It shall be the responsibility of the Vendor for pickup and delivery of the vehicle(s) for re-inspection.

CITY OF WARWICK

BID AND CONTRACT FORM

TITLE OF SPECIFICATION: Bid2021-308 Purchase Various Police Vehicles

I. BID:

WHEREAS, the CITY OF WARWICK has duly asked for bids for performance of services and/or supply of goods in accordance with the above-indicated specifications.

The person or entity does irrevocably offer to perform the services and/or furnish the goods in accordance with the specifications, which are hereby incorporated by reference in exchange for the bid price below;

This offer will remain open and irrevocable until the CITY OF WARWICK has accepted this bid or another bid on the specifications or abandoned the project.

The bidder agrees that acceptance by the CITY OF WARWICK will transform the bid into a contract. This bid and contract will be secured by Bonds, if required by the specifications.

Pricing sheet as follows

Continued next page

(PRICING SHEET MAY <u>NOT</u> BE CONFIDENTIAL)

Bid for K9 Unit

Warwick Police Department Pricing

TWO (2) 2021 OR CURRENT MODEL YEAR UNMARKED FORD POLICE INTERCEPTOR UTILITY COLOR BLACK

MAKE:		
MODEL:		
YEAR:		
WARRANTY:		
	contract price for two (2) vehicles, per bid specification	18.
2. Delivered\$	Contract price for one (1) vehicle, per bid specification	18.

(PRICING SHEET MAY <u>NOT</u> BE CONFIDENTIAL)

Bid for Traffic Division

Warwick Police Department Pricing

THREE (3) 2021 OR CURRENT MODEL YEAR UNMARKED FORD POLICE INTERCEPTOR UTILITY COLOR BLACK

MAKE:	
MODEL:	
YEAR:	
WARRANTY:	
	contract price for three (3) vehicles, per bid specifications.
2. Delivered	d Contract price for one (1) vehicle, per bid specifications.
1. Delivered	contract price for three (3) vehicles, per bid specifications

(PRICING SHEET MAY <u>NOT</u> BE CONFIDENTIAL)

Bid For Patrol Supervisors Vehicles

Warwick Police Department Pricing

FIVE (5) 2021 OR CURRENT MODEL YEAR UNMARKED FORD POLICE INTERCEPTOR UTILITY COLOR BLACK

MAKE:		
MODEL:		
YEAR:		
WARRANTY:		
	l contract price for five (5) vehicle	
	d Contract price for one (1) vehicle	
\$		

(PRICING SHEET MAY <u>NOT</u> BE CONFIDENTIAL)

Bid for Administrative Vehicles

Warwick Police Department Pricing

FIVE (5) 2021 OR CURRENT MODEL YEAR UNMARKED FORD POLICE INTERCEPTOR UTILITY COLOR TBD

MAKE:	
MODEL:	
YEAR:	
WARRANTY:	
	contract price for five (5) vehicles, per bid specifications.
	d Contract price for one (1) vehicle, per bid specifications.
\$	