


Patricia A. Peshka
Purchasing Agent



Frank J. Picozzi
Mayor

City of Warwick
Purchasing Division
3275 Post Road
Warwick, Rhode island 02886
Tel (401) 738-2013
Fax (401) 737-2364

To: All Prospective Bidders

From: Patricia A. Peshka, Purchasing Agent 

Date: August 23, 2021

Re: **Bid2022-103 Parts Washer Rental & Service**

Addendum #1

Please be advised that the information provided comprises of Addendum #1.

The bid opening will be extended from Tuesday, August 24, 2021 to Tuesday, August 31, 2021. A vendor has submitted questions regarding the specifications that could affect the any responses from potential vendors.

Questions Regarding Specifications

1. Mineral Spirits with a low flash point is handled as a hazardous waste and requires a manifest in the state of Rhode Island. Will the City consider using a solvent with a flash point of 142 so it does not need to be handled as a hazardous waste?


Answer:

The solvent must meet that which is indicated in the specifications.

2. Could you please provide the name brand or manufacturer of Model 200? Are any specs available?

Answer:

Please see the attached manufacturer model information.



MODEL 16/30

Time tested.

Our legacy sink-on-a-drum has been around more than 50 years. A sink on a 16- or 30-gallon drum parts washer with solvent, featuring a fusible link cover, plastic spigot, hose and brush, and lamp. Soiled parts are manually washed in the sink, with the solvent draining into the reservoir below.

CONTACT A REP!

| | Model 15* | Model 30** |
|--------------------------|--|--|
| Chemistry | Premium Solvent, QSOL 220/300, PD 680 Type II, PRF 680 Type II, Odorless Solvent | Premium Solvent, QSOL 220/300, PD 680 Type II, PRF 680 Type II, PRF 680 Type III, Odorless Solvent |
| Operation Type | Manual | Manual |
| Floor Space | | |
| Height | 53" (134.7 cm) | 60" (152.4 cm) |
| Width | 16" (40.7 cm) | 19.5" (49.6 cm) |
| Sink Size | | |
| Height | 7.5" (19.1 cm) | 8" (20.4 cm) |
| Width | 27.5" (69.9 cm) | 33.25" (84.5 cm) |
| Depth (front to back) | 16.25" (41.3 cm) | 22.25" (56.6 cm) |
| Electric Power | 115 VAC, 60 Hz, 1.4 A | 115 VAC, 60 Hz, 1.4 A |
| Standard Fill | 8 gal. (30.2 L) | Max Fill: 15 gal. (56.8 L) |
| Operating Temp | Ambient | Ambient |
| Material | Steel | Steel |
| Machine Color | Red | Red |
| Max Workload | 25 lbs. (11.3 kg) | 25 lbs. (11.3 kg) |
| Shipping Weight | 57 lbs. (25.9 kg) | 62 lbs. (28.1 kg) |
| Max Filled Weight | 111 lbs. (50.3 kg) | 162 lbs. (73.5 kg) |
| Listing | cETLus | cETLus |

*Certified reconditioned equipment. Local regulations may cause variations in requirements. Drum and chemistry sold separately.

[SERVICES](#) >

[PRODUCTS](#) >

[MARKETS WE SERVE](#) >

[ABOUT](#) >

[SUPPORT](#) >

[Facebook](#) [Twitter](#)

[Privacy policy \(/privacy-policy\)](#) [Terms of use \(/terms-of-use\)](#) [Contact Us \(/contact-us\)](#)

© 2021 Safety-Kleen Systems. All rights reserved.