

Francis M. Gomez

Purchasing Agent



Frank J. Picozzi

Mayor

City of Warwick
Purchasing Division
(Mailing Address)
3275 Post Road
Warwick, Rhode Island 02886
Tel (401) 738-2013
Fax (401) 737-2364

The following notice is to appear on the City of Warwick's website Tuesday, July 11, 2023. The website address is <http://www.warwickri.gov/bids>.

**CITY OF WARWICK
BIDS REQUESTED FOR**

Bid2024-116 Firefighter Occupational Medical Evaluations RE-BID

Specifications

Specifications are available in the Purchasing Division, Warwick City Hall, Monday through Friday, 8:30 AM until 4:30 PM on or after Tuesday, July 11, 2023.

Submissions

Sealed bids will be received by the Purchasing Division no later than 11:00 AM, Tuesday, July 25, 2023. The bids will be opened publicly commencing at 11:00 AM on the same day at 65 Centerville Road, Meeting Room 2.

Delivery

All bids must be sealed. If delivering in person or sent by delivery service (FedEx/UPS/DHL etc.) use physical address 65 Centerville Road, Warwick, RI 02886, Suite D. If sent via United States Postage Service use mailing address 3275 Post Road Warwick, Rhode Island 02886.

Awards

Awards will be made on the basis of the lowest evaluated or responsive bid price. Please note that no bids can be accepted via email or fax.

Individuals requesting interpreter services for the hearing impaired must notify the Purchasing Division at 401-738-2013 at least 48 hours in advance of the bid opening date.

Francis M. Gomez

Francis M. Gomez
Purchasing Agent

PLEASE COMPLETE THIS PAGE & SUBMIT WITH YOUR BID

Acknowledgement of Addendum (if applicable)

Addendum Number	Signature of Bidder
_____	_____
_____	_____

COMPANY NAME: _____

COMPANY ADDRESS: _____

COMPANY ADDRESS: _____

BIDDER'S SIGNATURE: _____

BIDDER'S NAME (PRINT): _____

TITLE: _____ TEL. NO.: _____

EMAIL ADDRESS: _____*

*Please include your email address. Future bids will be emailed, unless otherwise noted.

=====

II. AWARD AND CONTRACT:

The CITY OF WARWICK, acting as duly authorized through its Purchasing Agent/Finance Director/Mayor, accepts the above bid and hereby enters into a contract with the above party to pay the bid price upon completion of the project or receipt of the goods unless another payment schedule is contained in the specifications. All terms of the specifications, both substantive and procedural, are made terms of this contract.

DATE: _____

Bid2024-116

Purchasing Agent

PLEASE COMPLETE THIS PAGE & SUBMIT WITH YOUR BID

CERTIFICATION & WARRANT FORM*

**This form must be completed and submitted with sealed bid.
Failure to do so will result in automatic rejection.**

Any and all bids shall contain a certification and warrant that they comply with all relevant and pertinent statutes, laws, ordinances and regulations, in particular, but not limited to Chapter 16- Conflicts of Interest, of the Code of Ordinances of the City of Warwick. Any proven violation of this warranty and representation by a bidder at the time of the bid or during the course of the contract, included, but not limited to negligent acts, either directly or indirectly through agents and/or sub-contractors, shall render the bidder's contract terminated and the bidder shall be required to reimburse the City for any and all costs incurred by the City, including reasonable attorney fees, to prosecute and/or enforce this provision.

Signature

Date

Company Name

Address

Address

***This form cannot be altered**

**CITY OF WARWICK
NOTICE TO BIDDERS**

Bid2024-116 Firefighter Occupational Medical Evaluations RE-BID

If you received this document from our homepage or from a source other than the City of Warwick Purchasing Division, please check with our office prior to submitting your bid to ensure that you have a complete package. The Purchasing Division cannot be responsible to provide addenda if we do not have you on record as a plan holder.

The opening of bids will be in the order established by the posted agenda and the agenda will continue uninterrupted until completion.

Once an item has been reached and any bids on that item has been opened, no other bids on that item will be accepted and any such bid will be deemed late.

The contractor will not discriminate against any employee or applicant for employment because of physical or mental handicap for any position for which the employee or applicant is qualified and that in the event of non-compliance the City may declare the contractor in breach and take any necessary legal recourse including termination or cancellation of the contract.

A bidder filing a bid thereby certifies that no officer, agent, or employee of the City has a pecuniary interest in the bid or has participated in contract negotiations on the part of the City, that the bid is made in good faith without fraud, collusion, or connection of any kind with any other bidder for the same call for bids, and that the bidder is competing solely in his own behalf without connection with, or obligation to, any undisclosed person or firm.

All bids should be submitted with one (1) original and one (1) copy in a sealed envelope, which should read: *YOUR COMPANY NAME* plainly marked on the exterior of the envelope as well as "Bid2024-116 Firefighter Occupational Medical Evaluations RE-BID".

Bids received prior to the time of the opening will be securely kept, unopened. No responsibility will be attached to an officer or person for the premature opening of a bid not properly addressed and identified. No bids will be accepted via facsimile or email.

All proposals submitted become the property of the City and will not be returned. If the company intends to submit **confidential or proprietary information** as part of the proposal, **any limits on the use or distribution of that material should be clearly delineated in writing. This information should be submitted in a sealed envelope, clearly labeled confidential** and where it should be submitted in the response. Please be advised of the Freedom of Information Act as it may pertain to your submittal.

Should you have any questions, please contact Asst. Chief Umbenhauer, Warwick Fire Department, at 401-468-4044.

All bids should be written in ink or typed. If there is a correction with whiteout, the bidder should initial the change.

Negligence on the part of the bidder in preparing the proposal confers no rights for the withdrawal of the proposal after it is open.

Any deviation from the specifications must be noted in writing and attached as part of the bid proposal. The bidder should indicate the item or part with the deviation and indicate how the bid will deviate from specifications.

The IRS Form W-9 is available on www.warwickri.gov should be completed and submitted with the bid if the bidder falls under IRS requirements to file this form.

Prevailing Wages will apply to this bid. Current rates may be viewed at <http://www.dlt.state.ri.us/pw>.

The successful bidder must comply with all Rhode Island Laws, applicable to public works projects, including, but not limited to provisions of Chapter 13 of Title 37 of the Rhode Island General Laws, pertaining to prevailing wage rates, and all other applicable local, state and federal laws.

The contractor must carry sufficient liability insurance and agree to indemnify the city against all claims of any nature, which might arise as a result of his operations or conduct of work.

The contractor must keep himself informed of and comply with all laws, ordinances and regulations of the federal, state and municipal governments which may apply and be in force during the life of the contract, in any manner which may affect himself/employees or the conduct of the work or the materials used or employed in the work. Before submitting bids, prospective bidders should examine the terms, covenants and conditions of all codes, permits and laws which may apply. By submitting a bid, the bidder agrees to comply with all pertinent laws/regulations if awarded a contract.

Every contractor and subcontractor awarded a contract for public works, construction, alteration and/or repair, including painting and decorating, or public buildings or public works must submit completed RI Certified Weekly Payroll forms listing employees employed on the project to the awarding authority on a monthly basis for all work completed in the preceding month. These forms may be found at: www.dlt.ri.gov/pw/pwFormsPubs.htm. Certified Payroll forms concerning RI Department of Transportation projects may be submitted on federal forms. However, when a complaint is being investigated by the RI Department of Labor & Training (DLT), the contractor must resubmit the payroll information on the RI Certified Weekly Payroll forms for the entire project.

Awarding authorities, contractors and subcontractors must provide any and all payroll records to the DLT within ten (10) days of any request that is made by the department.

The awarding authority of any public works project will withhold the next scheduled payment to any contractor or subcontractor who fails to comply with the above provisions, as well as any further payments until they comply. The DLT may also impose a penalty of up to \$500 for each calendar day of noncompliance.

Please refer to Rhode Island state laws Section 37-13 for more information.

The successful bidder must provide the City of Warwick with an original **Certificate of Insurance** for Professional Liability in a minimum amount of \$1 million. It is the vendor's responsibility to provide the City of Warwick with an updated Certificate of Insurance upon expiration of the original certificate.

Failure to provide adequate insurance coverage within the specified duration of time as set forth is a material breach of contract and grounds for termination of the contract.

For a bid to be awarded to a corporation, limited liability company or other legal entity, prior to commencing work under the awarded bid, that corporation, company or legal entity may be required to provide to the Purchasing Agent a **Certificate of Good Standing** from **The Rhode Island Secretary of State** dated no more than thirty (30) days prior to the date upon which the bid approval was made. **Please note that no other State's Certificate of Good Standing will be accepted.**

If required, the successful bidder will provide said **Certificate of Insurance and State of Rhode Island's Certificate of Good Standing** within ten (10) calendar days after notification or the City reserves the right to rescind said award.

Prices to be held firm August 24, 2023 through August 23, 2024. Term contracts may be extended for one (1) additional term upon mutual agreement unless otherwise stated.

The City is exempt from the payment of the Rhode Island Sales Tax under the 1956 General Laws of the State of Rhode Island, 44-18-30, Paragraph I, as amended.

The contractor must carry sufficient liability insurance and agree to indemnify the City against all claims of any nature, which might arise as a result of his operations or conduct of work.

The Purchasing Agent reserves the right to reject any and all bids, to waive any minor deviations or informalities in the bids received, and to accept the bid deemed most favorable to the interest of the City.

The City reserves the right to terminate the contract or any part of the contract in the best interests of the City, upon 30-day notice to the contractor. The City will incur no liability for materials or services not yet ordered if it terminates in the best interests of the City. If the City terminates in the interests of the City after an order for materials or services has been placed, the contractor will be entitled to compensation upon submission of invoices and proper proof of claim, in that proportion which its services and products were satisfactorily rendered or provided, as well as expenses necessarily incurred in the performance of work up to time of termination.

No extra charges for delivery, handling or other services will be honored. All claims for damage in transit will be the responsibility of the successful bidder. Deliveries must be made during normal working hours unless otherwise agreed upon.

All costs directly or indirectly related to the preparation of a response to this

solicitation, or any presentation or communication to supplement and/or clarify any response to this solicitation which may be required or requested by the City of Warwick will be the sole responsibility of and will be borne by the respondent.

If the respondent is awarded a contract in accordance with this solicitation and fails or refuses to satisfy fully all of the respondents obligations thereunder, the City of Warwick will be entitled to recover from the respondent any losses, damages or costs incurred by the City as a result of such failure or refusal.

The City reserves the right to award in part or full and to increase or decrease quantities in the best interest of the City.

Any quantity reference in the bid specifications are estimates only, and do not represent a commitment on the part of the City of Warwick to any level of billing activity. It is understood and agreed that the agreement will cover the actual quantities ordered during the contract period.

The City reserves the right to rescind award for non-compliance to bid specifications.

The successful bidder must adhere to all City, State and Federal Laws, where applicable.

PLEASE COMPLETE THIS PAGE AND SUBMIT WITH YOUR BID

Warwick Fire Department

Request for Bids

Firefighter Occupational Medical Evaluations

The Warwick Fire Department is seeking bids for Firefighter Occupational Medical Evaluations, in accordance with the following specifications.

All prices will remain in effect for one (1) year from date of award with the option of an additional term.

EXCEPTIONS TO SPECIFICATIONS:

All exceptions to the below specifications must be clearly stated for each specification listed. Use additional pages for exceptions, if necessary.

PURPOSE:

To provide the Warwick Fire Department with a confidential occupational medical evaluation program for its firefighters and new firefighter candidates. These evaluations will be conducted as a baseline for surveillance and annually thereafter. This medical evaluation program is intended to fulfill the requirements of both NFPA 1500 - Standard on Fire Department Occupational Safety, Health and Wellness Program (Chapter 11) and NFPA 1582 – Standard on Comprehensive Occupational Medical Program for Fire Departments. Approximately 204 examinations are estimated to be performed.

Preference will be given to vendors who can administer the physicals on site or within a close radius of the City of Warwick. Please contact Assistant Chief Jason Umbenhauer (401) 468-4044 for any additional information.

	GENERAL REQUIREMENTS	Meets Requirements		
a	The bidder must assist the Fire Department management in planning the testing process. The bidder must supply all equipment necessary to perform the evaluations including clinical testing facilities, medical questionnaires, all specimen collection supplies, and instructional materials. The bidder must be able to provide enough medical personnel to perform all testing in a timely fashion.	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
b	All medical testing and screening must be performed by technicians who are appropriately trained and certified, as required.	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>

Continued next page

PLEASE COMPLETE THIS PAGE AND SUBMIT WITH YOUR BID

	General Requirements	Meets Requirements		
c	All processes required to complete the evaluation must comply with NFPA 1582 Standard on Comprehensive Occupational Medical Programs for Fire Departments – Current edition.	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
d	The medical evaluation must be performed by a licensed medical doctor or osteopathic physician qualified to provide professional expertise in the areas of occupational safety and health as they relate to emergency services, in accordance with NFPA 1582 – Current Edition. The bidder must provide the name of the one individual physician who would be fulfilling the role of Fire Department Physician, who must be responsible for the medical evaluation program, record-keeping (including medical certifications), and advising the members with regard to their health, fitness, and suitability for duty as required by NFPA 1500 & NFPA 1582.	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
e	The bidder must provide documentation outlining their policy and procedures for quality control and quality assurance on all medical equipment.	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
f	All test results and interpretations must be treated as a confidential medical record. The bidder must ensure member privacy and confidentiality regarding medical conditions identified during the medical evaluation except as required by law. The distribution of the results must be at the direction of the Fire Department.	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
g	At the conclusion of the evaluations, a list must be provided to the Fire Department of all members who completed the evaluation, or any portion thereof, listing the specific tests and procedures performed, for billing purposes.	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
h	Evaluations must be conducted on an ongoing schedule, throughout mutually agreed-upon days, by staff which is dedicated to that purpose. While testing, the firefighters must not have other patients inserted into the process, thus slowing down the testing being done for the City. The firefighters must be seen, one at a time, from a grouping assigned for that day, without placing patients from other employers in between.	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
i	A release must be secured by the bidder from each member to be examined and a copy of their completed reports must be delivered securely to each member.	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
j	All procedures necessary for the conducting of physicals must take place at a single facility, with the option to perform the tests at the Fire Department Headquarters, if necessary.	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
k	Bidder must provide a DOT driver’s certification cards if applicable, when requested by the member being evaluated.	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>

Continued next page

PLEASE COMPLETE THIS PAGE AND SUBMIT WITH YOUR BID

General Requirements		Meets Requirements		
1	Only the tests and exams authorized for the purpose of completing this evaluation will be administered. Under no circumstances will any additional tests be administered other than those specified.	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
m	Bidder must maintain medical records for a period of not less than 30 years after the member's retirement date.	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
TECHNICAL SPECIFICATIONS		Meets Requirements		
1	<p><u>Medical Evaluation</u> Each medical evaluation must include a medical history (including exposure history), physical examination, blood tests, urinalysis, vision tests, audiograms, spirometry, chest x-ray (as indicated), ECG, cancer screening (as indicated), and immunizations and infectious disease screening (as indicated).</p> <p>The physician must ensure that all members are made aware of all currently recommended immunizations per CDC guidelines (at minimum, Hepatitis B, TDAP, MMR, Polio, Hepatitis A, Varicella, seasonal and novel influenzas)</p> <p>The components of the medical evaluations must conform to all applicable U.S. OSHA standards, including 29 CFR 1910.120, "Hazardous waste operations and emergency response"; 29 CFR 1910.134, "Respiratory protection"; 29 CFR 1910.95, "Occupational noise exposure"; and 29 CFR 1910.1030, "Bloodborne pathogens."</p>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>

Continued next page

PLEASE COMPLETE THIS PAGE AND SUBMIT WITH YOUR BID

	Technical Specifications	Meets Requirements		
2	<p><u>Medical History for Existing Members</u> A medical history questionnaire, including a respirator questionnaire, which includes changes in health status and known occupational exposures since the previous annual evaluation, must be provided to, and completed by, each member to provide follow-up information.</p> <p><u>Medical History for Firefighter Candidates</u> A medical history questionnaire, including a respirator questionnaire must be provided to, and completed by, each candidate to provide follow-up information. The medical history should include the candidate's known health problems, such as major illnesses, surgeries, medication use, and allergies. Symptom review is also important for detecting early signs of illness. A medical history should also include a personal health history, a health habit history, an immunization history, and a reproductive history.</p> <p>An occupational history should also be obtained to collect information about the person's past occupational and environmental exposures.</p>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
3	<p><u>Physical Examinations</u> The physical examination must include each of the following components:</p> <p>(1) Vital signs [temperature, pulse, and respiratory rate, and blood pressure (BP)] (2) Head, eyes, ears, nose, and throat (HEENT) (3) Neck (4) Cardiovascular (5) Pulmonary (6) Breast (7) Gastrointestinal with digital rectal exam as clinically indicated (8) Hernia (9) Lymph nodes (10) Neurological (11) Musculoskeletal (12) Skin (includes screening for cancers)</p> <p>Examinees must be advised during the procedure of abnormalities identified by the examiner that require immediate follow-up.</p>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>

Continued next page

PLEASE COMPLETE THIS PAGE AND SUBMIT WITH YOUR BID

Technical Specifications		Meets Requirements		
4	<p><u>Blood Pressure</u> Blood Pressure must be measured by a training technician with a properly calibrated and validated instrument. Blood Pressure must be measured according to the recommendations of the Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure (JNC 7).</p> <p>The criteria for evaluation must be those established by the American Heart Association, and patients must be immediately notified of any significant abnormality. Repeat measurements must be provided for all members not meeting the AHA normal criteria.</p>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
5	<p><u>Blood Tests</u> Blood tests must be performed, at minimum, every three years for those under the age of 40, and every year for those over the age of 40, and must include the following:</p> <p>(1) CBC with differential, RBC indices and morphology, and platelet count (2) Electrolytes (Na, K, Cl, HCO₃, or CO₂) (3) Renal function (BUN, creatinine) (4) Glucose (5) Liver function tests (ALT, AST, direct and indirect bilirubin, alkaline phosphatase) (6) Total cholesterol, HDL, LDL, clinically useful lipid ratios (e.g., percent LDL), and triglycerides</p> <p>Specimen collection must be performed by trained phlebotomists to ensure proper procedures for accurate sampling is observed. The bidder must demonstrate compliance with 29 CFR 1910.1030 in its collection procedures and staff employed.</p>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
6	<p><u>Heavy Metal Tests</u> A heavy metal test and zinc protoporphyrin (ZPP) blood test will be performed for any new Hazardous Materials Technicians in accordance with OSHA 1910.120 or at the request of the department. The heavy metal test will be for arsenic, mercury, lead and cadmium.</p>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
7	<p><u>Urine Laboratory Tests</u> The urine laboratory tests required must include the following:</p> <p>(1) Dipstick analysis for glucose, ketones, leukocyte esterase, protein, blood, and bilirubin (2) Microscopic analysis for RBC, WBC, casts, and crystals if indicated by results of dipstick analysis.</p>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>

Continued next page

PLEASE COMPLETE THIS PAGE AND SUBMIT WITH YOUR BID

Technical Specifications		Meets Requirements		
8	<p><u>Vision Tests</u> Vision screening must be performed by trained technicians, and test results must be interpreted by a qualified clinician. The test procedures must meet the standards imposed by DOT for vision acuity screening. Abnormal results must be referred to the member's PCP or optometrist.</p>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
9	<p><u>Audiometric Testing</u> Audiometric testing must be performed by a Certified Occupational Hearing Conservation (CAOHC) technician. The equipment room and procedures must meet both the OSHA standard set forth at 29 CFR 1910.95 as well as the ANSI guidelines (s3.6-1969). The frequencies to be tested are 500, 1000, 2000, 3000, 4000, 6000, and 8000 Hz. Abnormal test results will be interpreted by a certified audiologist and recommendations are to be made for follow-up action where indicated, per NFPA 1582 Appendix A, Section A.7.7.3.</p>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
10	<p><u>Spirometry Testing</u> Pulmonary function testing must be performed by technicians having passed NIOSH approved curriculum courses in occupational spirometry.</p> <p>Pulmonary function testing must be conducted to measure the member's forced vital capacity (FVC), forced expiratory volume in 1 second (FEV1), and the absolute FEV1/FVC ratio. FEV1 and FVC results must be expressed as the absolute value (liters or milliliters) and as percent predicted adjusted for gender, age, height, and ethnicity using NHANES III normative equations.</p> <p>These tests must meet all OSHA and state imposed regulations for pulmonary function testing. Abnormal results must be referred to the member's PCP or pulmonologist and recommendations are to be made for follow-up action where indicated, per NFPA 1582 Appendix A, Section A.7.7.4.</p>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
11	<p><u>Chest Radiographs</u> A posterior-anterior and/or lateral chest x-ray must be administered by a registered X-ray technician. X-rays must be interpreted by a NIOSH certified "B" reader. The x-ray room must be fully lead-shielded to prevent hazardous emissions to the environment. X-Rays will be performed at five (5) year intervals, or as clinically indicated.</p>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>

Continued next page

PLEASE COMPLETE THIS PAGE AND SUBMIT WITH YOUR BID

Technical Specifications		Meets Requirements		
12	<p><u>Electrocardiograms</u> A resting 12-lead ECG must be performed by trained technicians. Test results must be interpreted by a board-certified cardiologist when a significant problem is discovered. The physician's report must contain appropriate commentary regarding the examinee's cardiac condition and follow-up recommendations must be made where warranted.</p>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>
13	<p><u>Risk Stratification</u> Asymptomatic fire fighters 40 years of age or older with no known atherosclerotic cardiovascular disease (ASCVD) must be assessed for their 2-year and 10-year risks of ASCVD, defined as coronary death, nonfatal myocardial infarction, or fatal or nonfatal stroke.</p> <p>Asymptomatic fire fighters younger than 40 years of age known to be at high risk for ASCVD must be assessed for coronary artery disease.</p> <p>The 10-year Heart Risk Calculator created by the American College of Cardiology/American Heart Association (ACC/AHA) must be used to generate a 10-year risk of ASCVD, taking into consideration the individual's age, sex, race, total cholesterol, high density lipoprotein (HDL) cholesterol, systolic blood pressure, blood pressure-lowering medication use, diabetes status, and smoking status.</p> <p>The Framingham Heart Study 2-year risk prediction score sheets must be used to generate a 2-year risk of ASCVD, using all the factors described above except race.</p> <p>Members found to be at "Intermediate" or "High" risk should be referred for further evaluation in accordance with NFPA 1582 – Section 7.7.7</p>	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Exception <input type="checkbox"/>

Continued next page

PLEASE COMPLETE THIS PAGE AND SUBMIT WITH YOUR BID

	Technical Specifications	Meets Requirements		
14	Immunizations and Infectious Disease Screening	Yes	No	Exception
	<p>The following infectious disease immunizations or infectious disease screenings must be provided, as indicated:</p> <p>(1) Tuberculosis (TB) screening — by either tuberculin skin testing using the tuberculin purified protein derivative (PPD) or the tuberculin blood test (interferon gamma release assay); tuberculosis screening to be performed unless the member has a history of positive tuberculin screening test, in which case CDC guidelines for management and subsequent chest radiographic surveillance apply. Results will be interrupted in accordance with NFPA 1582 – Appendix A - Section A.7.7.9 (1). Reading the TB skin test (PPD) results is the responsibility of the bidder.</p> <p style="padding-left: 20px;">a. If the TB skin test (PPD) is used, the following is required:</p> <p style="padding-left: 40px;">i. Placement of the PPD and subsequent reading by a trained, designated reader within 48 hours to 72 hours of placement. Members with a history of positive PPD should instead fill out a questionnaire and might be required to have a chest radiograph.</p> <p style="padding-left: 40px;">ii. PPD results should be documented in millimeters (mm). A test with no skin reaction should be recorded as 0 mm. PPD measurement should not include erythema and should include only induration in the axis perpendicular to the forearm.</p> <p>(2) Hepatitis B virus titers — as specified in CDC guidelines; laboratory confirmation of immunity to be tested 1–2 months after completion of the vaccination 3 dose series, performed as a baseline for new Firefighter Candidates only.</p> <p>(3) Hepatitis C screening – performed as a baseline for new Firefighter Candidates only.</p>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Continued next page

PLEASE COMPLETE THIS PAGE AND SUBMIT WITH YOUR BID

	Technical Specifications	Meets Requirements		
		Yes	No	Exception
15	<p><u>Cancer Screening</u></p> <p>(1) Colon Cancer Screening - Fecal occult blood testing risks and benefits must be discussed with all members above the age of 40, or earlier if clinically indicated. Colonoscopy services must be recommended to all members above the age of 50, or earlier if clinically indicated and repeated at regular intervals.</p> <p>(2) Prostate Cancer Screening - Due to increased prostate cancer risk, the physician must discuss the risks and benefits of prostate cancer screening, including prostate specific antigen (PSA) testing, with all male fire fighters beginning at age 40 and annually thereafter.</p> <p>(3) Lung Cancer Screening - Low-dose computed tomography (LDCT) must be performed annually on fire fighters over the age of 55 who have a 30-pack-a-year smoking history and currently smoke or have quit within the past 15 years.</p> <p>(4) Cervical Cancer Screening – The physician will recommend that female members be screened for cervical cancer with cytology (Pap smear) every 3 years or screened for a combination of cytology and human papillomavirus (HPV) testing every 5 years.</p> <p>(5) Testicular Cancer Screening - A baseline examination must be performed by a health care provider</p> <p>(6) Bladder Cancer Screening - Urine must be evaluated for blood (hematuria). A positive dipstick for hematuria must require a follow-up and referral which could involve upper tract imaging, cystoscopy, and/or urine cytology.</p> <p>(7) Oral Cancer Screening - The entire mouth must be examined for signs of oral and oropharyngeal cancers.</p> <p>(8) Thyroid Cancer Screening - Physical exam for palpable nodules must be part of the physical examination.</p>	<p>Yes</p> <p><input type="checkbox"/></p>	<p>No</p> <p><input type="checkbox"/></p>	<p>Exception</p> <p><input type="checkbox"/></p>
16	<p><u>Medical Certification</u></p> <p>At the conclusion of the medical evaluation, and after analysis of the information contained in this document, the designated physician (acting as the Fire Department Physician) must determine if the member or candidate meets the medical requirements of NFPA 1582 Current Edition. A copy of this signed medical certification must be delivered in a timely fashion to the Fire Department Administrative designee.</p>	<p>Yes</p> <p><input type="checkbox"/></p>	<p>No</p> <p><input type="checkbox"/></p>	<p>Exception</p> <p><input type="checkbox"/></p>

CITY OF WARWICK

BID AND CONTRACT FORM

TITLE OF SPECIFICATION: Bid2024-116 Firefighter Occupational Medical Evaluations RE-BID

I. BID:

WHEREAS, the CITY OF WARWICK has duly asked for bids for performance of services and/or supply of goods in accordance with the above-indicated specifications.

The person or entity does irrevocably offer to perform the services and/or furnish the goods in accordance with the specifications, which are hereby incorporated by reference in exchange for the bid price.

This offer will remain open and irrevocable until the CITY OF WARWICK has accepted this bid or another bid on the specifications or abandoned the project.

The bidder agrees that acceptance by the CITY OF WARWICK will transform the bid into a contract. This bid and contract will be secured by Bonds, if required by the specifications.

Pricing as Follows

Continued next page

PLEASE COMPLETE THIS PAGE AND SUBMIT WITH YOUR BID

PRICING MAY NOT BE CONFIDENTIAL

Bid2024-116 Firefighter Occupational Medical Evaluations RE-BID

Item #	Complete Medical Evaluation Required for Medical Certification	Price
1	Complete NFPA 1582 Evaluation and Medical Certification Existing Firefighter	
2	Complete NFPA 1582 Evaluation and Medical Certification Firefighter Candidate	
3	Complete NFPA 1582 Evaluation and Medical Certification Existing Haz-Mat Technician	
4	Complete NFPA 1582 Evaluation and Medical Certification New Haz-Mat Technician	
Item #	Procedures and Tests (Priced Individually)	Price
5	Heavy Metal Test (Arsenic, Cadmium, Mercury, Lead)	
6	OneTest Multi-Cancer Test, including the purchase of product, drawing blood sample and processing of the test	
7	Drawing blood sample and processing of the OneTest Multi-Cancer Test (Product supplied by the Fire Department)	
8	Tuberculosis (TB) screening using Skin Test (PPD)	
Item #	Additional Tests & Vaccines <u>NOT</u> Required for Completion of Evaluation	Price
9	Hepatitis A Vaccine series (2 doses)	
10	Hepatitis B Vaccine series (3 doses)	
11	Drug Screen (5-panel)	

Please submit the name and license number of physician that will serve as the Fire Department Physician as required in these specifications.

Name: _____ **License Number:** _____

Any and all exceptions to the above specifications must be clearly stated for each specification listed. Use additional pages for exceptions, if necessary.