



City of Warwick
Purchasing Division
(Mailing Address)
3275 Post Road
Warwick, Rhode Island 02886
Tel (401) 738-2013
Fax (401) 737-2364

The following notice is to appear on the City of Warwick's website Thursday, January 11, 2024 The website address is <http://www.warwickri.gov/bids>.

**CITY OF WARWICK
BIDS REQUESTED FOR**

Bid2024-349 Neptune Cold Water Meters

Specifications

Specifications are available in the Purchasing Division, Warwick City Hall, Monday through Friday, 8:30 AM until 4:30 PM on or after Thursday, January 11, 2024. If you received this document from our homepage or from a source other than the City of Warwick Purchasing Division, please check with our office prior to submitting your bid to ensure that you have a complete package. The Purchasing Division cannot be responsible to provide an addenda if we do not have you on record as a plan holder.

Submissions

All bids should be submitted with one (1) original and two (2) copies in a sealed envelope (total of three (3) copies), which should read: **YOUR COMPANY NAME** plainly marked on the exterior of the envelope as well as "**Bid2024-349 Neptune Cold Water Meters**" No bids will be accepted via Facsimile or email. All bids must be sealed. Sealed bids will be received by the Purchasing Division no later than 11:00 AM, Tuesday, January 30, 2023. The bids will be opened publicly commencing at 11:00 AM on the same day at 65 Centerville Road, Meeting Room 2.

Delivery

If delivering in person or sent by delivery service (FedEx/UPS/DHL etc.) use physical address 65 Centerville Road, Warwick, RI 02886, Suite D. If sent via United States Postal Service use mailing address 3275 Post Road Warwick, Rhode Island 02886.

Awards

Awards will be made on the basis of the lowest evaluated or responsive bid price.

Questions

Please direct questions related to the bidding process, how to fill out forms, and how to submit a bid (Pages 1-8) to the Purchasing Division.

- Email: Bids@warwickri.gov
- Phone: 401-738-2013

Please direct all questions related to the specifications outlined (beginning on page 9) to the issuing department's subject matter expert:

- Name: Terry DiPetrillo
- Title: Chief of Water Division
- Phone: 401-921-9798
- Email: terry.w.dipetrillo@warwickri.gov

Individuals requesting interpreter services for the hearing impaired must notify the Purchasing Division at 401-738-2013 at least 48 hours in advance of the bid opening date.

Original Signature on File

Francis M. Gomez
Purchasing Agent

PLEASE COMPLETE THIS PAGE & SUBMIT WITH YOUR BID

Acknowledgement of Addendum (if applicable)

| | |
|------------------------|----------------------------|
| Addendum Number | Signature of Bidder |
| _____ | _____ |
| _____ | _____ |

COMPANY NAME: _____

COMPANY ADDRESS: _____

COMPANY ADDRESS: _____

BIDDER'S SIGNATURE: _____

BIDDER'S NAME (PRINT): _____

TITLE: _____ TEL. NO.: _____

EMAIL ADDRESS: _____*

*Please include your email address. Future bids will be emailed, unless otherwise noted.

=====

II. AWARD AND CONTRACT:

The CITY OF WARWICK, acting as duly authorized through its Purchasing Agent/Finance Director/Mayor, accepts the above bid and hereby enters into a contract with the above party to pay the bid price upon completion of the project or receipt of the goods unless another payment schedule is contained in the specifications. All terms of the specifications, both substantive and procedural, are made terms of this contract.

| | |
|-------------|------------------|
| DATE: _____ | _____ |
| Bid2024-349 | Purchasing Agent |

PLEASE COMPLETE THIS PAGE & SUBMIT WITH YOUR BID

CERTIFICATION & WARRANT FORM*

**This form must be completed and submitted with sealed bid.
Failure to do so will result in automatic rejection.**

Any and all bids shall contain a certification and warrant that they comply with all relevant and pertinent statutes, laws, ordinances and regulations, in particular, but not limited to Chapter 16- Conflicts of Interest, of the Code of Ordinances of the City of Warwick. Any proven violation of this warranty and representation by a bidder at the time of the bid or during the course of the contract, included, but not limited to negligent acts, either directly or indirectly through agents and/or sub-contractors, shall render the bidder's contract terminated and the bidder shall be required to reimburse the City for any and all costs incurred by the City, including reasonable attorney fees, to prosecute and/or enforce this provision.

Signature

Date

Company Name

Address

Address

***This form cannot be altered**

**CITY OF WARWICK
NOTICE TO BIDDERS**

Bid2024-349 Neptune Cold Water Meters

The IRS Form W-9 is available on www.warwickri.gov should be completed and submitted with the bid if the bidder falls under IRS requirements to file this form.

All bids should be written in ink or typed. If there is a correction with whiteout, the bidder should initial the change.

Any deviation from the specifications must be noted in writing and attached as part of the bid proposal. The bidder should indicate the item or part with the deviation and indicate how the bid will deviate from specifications.

Bids received prior to the time of the opening will be securely kept, unopened. No responsibility will be attached to an officer or person for the premature opening of a bid not properly addressed and identified.

The opening of bids will be in the order established by the posted agenda and the agenda will continue uninterrupted until completion.

Once an item has been reached and any bids on that item has been opened, no other bids on that item will be accepted and any such bid will be deemed late.

Negligence on the part of the bidder in preparing the proposal confers no rights for the withdrawal of the proposal after it is open.

The contractor will not discriminate against any employee or applicant for employment because of physical or mental handicap for any position for which the employee or applicant is qualified and that in the event of non-compliance the City may declare the contractor in breach and take any necessary legal recourse including termination or cancellation of the contract.

A bidder filing a bid thereby certifies that no officer, agent, or employee of the City has a pecuniary interest in the bid or has participated in contract negotiations on the part of the City, that the bid is made in good faith without fraud, collusion, or connection of any kind with any other bidder for the same call for bids, and that the bidder is competing solely in his own behalf without connection with, or obligation to, any undisclosed person or firm.

All proposals submitted become the property of the City and will not be returned. If the company intends to submit **confidential or proprietary information** as part of the proposal, **any limits on the use or distribution of that material should be clearly delineated in writing. This information should be submitted in a sealed envelope, clearly labeled confidential** and where it should be submitted in the response. Please be advised of the Freedom of Information Act as it may pertain to your submittal.

The contractor must carry sufficient liability insurance and agree to indemnify the City against all claims of any nature, which might arise as a result of his operations or conduct of work.

Failure to provide adequate insurance coverage within the specified duration of time as set forth is a material breach of contract and grounds for termination of the contract.

For a bid to be awarded to a corporation, limited liability company or other legal entity, prior to commencing work under the awarded bid, that corporation, company or legal entity may be required to provide to the Purchasing Agent a **Certificate of Good Standing** dated no more than thirty (30) days prior to the date upon which the bid approval was made.

If required, the successful bidder will provide **Certificate of Good Standing** within ten (10) calendar days after notification or the City reserves the right to rescind said award.

Prices to be held firm for two (2) years March 27, 2024 through March 26, 2026. Term contracts may be extended for one (1) additional term upon mutual agreement unless otherwise stated.

The City is exempt from the payment of the Rhode Island Sales Tax under the 1956 General Laws of the State of Rhode Island, 44-18-30, Paragraph I, as amended.

The Purchasing Agent reserves the right to reject any and all bids, to waive any minor deviations or informalities in the bids received, and to accept the bid deemed most favorable to the interest of the City.

The City reserves the right to terminate the contract or any part of the contract in the best interests of the City, upon 30-day notice to the contractor. The City will incur no liability for materials or services not yet ordered if it terminates in the best interests of the City. If the City terminates in the interests of the City after an order for materials or services has been placed, the contractor will be entitled to compensation upon submission of invoices and proper proof of claim, in that proportion which its services and products were satisfactorily rendered or provided, as well as expenses necessarily incurred in the performance of work up to time of termination.

No extra charges for delivery, handling or other services will be honored. All claims for damage in transit will be the responsibility of the successful bidder. Deliveries must be made during normal working hours unless otherwise agreed upon.

All costs directly or indirectly related to the preparation of a response to this solicitation, or any presentation or communication to supplement and/or clarify any response to this solicitation which may be required or requested by the City of Warwick will be the sole responsibility of and will be borne by the respondent.

If the respondent is awarded a contract in accordance with this solicitation and fails or refuses to satisfy fully all of the respondents obligations thereunder, the City of

Warwick will be entitled to recover from the respondent any losses, damages or costs incurred by the City as a result of such failure or refusal.

The City reserves the right to award in part or full and to increase or decrease quantities in the best interest of the City.

Any quantity reference in the bid specifications are estimates only, and do not represent a commitment on the part of the City of Warwick to any level of billing activity. It is understood and agreed that the agreement will cover the actual quantities ordered during the contract period.

The City reserves the right to rescind award for non-compliance to bid specifications.

The successful bidder must adhere to all City, State and Federal Laws, where applicable.

PLEASE COMPLETE THIS PAGE AND SUBMIT WITH YOUR BID

PRICING MAY NOT BE CONFIDENTIAL

CITY OF WARWICK

BID AND CONTRACT FORM

TITLE OF SPECIFICATION: Bid2024-349 Neptune Cold Water Meter

I. BID:

WHEREAS, the CITY OF WARWICK has duly asked for bids for performance of services and/or supply of goods in accordance with the above-indicated specifications.

The person or entity does irrevocably offer to perform the services and/or furnish the goods in accordance with the specifications, which are hereby incorporated by reference in exchange for the bid price.

This offer will remain open and irrevocable until the CITY OF WARWICK has accepted this bid or another bid on the specifications or abandoned the project.

The bidder agrees that acceptance by the CITY OF WARWICK will transform the bid into a contract. This bid and contract will be secured by Bonds, if required by the specifications.

CITY OF WARWICK
SPECIFICATIONS FOR NEPTUNE COLD WATER METERS & ASSOCIATED
EQUIPMENT/ACCESSORIES

The bidder hereby proposes to furnish the material listed in the proposal for the unit prices indicated.

The Supplier shall furnish Neptune Cold-Water Meters-Displacement/Turbine Types with Encoder Type Remote Registration Systems in accordance with all applicable provisions of the American Water Works Standards and all subsequent revisions thereof, which are hereby made a part hereof with exceptions, modifications and additions to various sections of the standard. The standard shall set forth the minimum requirements acceptable to the purchaser. It is the stated policy of the City of Warwick to continue to utilize the existing meter reading equipment and software. However, the successful bidder must be able to provide an updated version of equipment should the existing equipment become unserviceable or obsolete. The City of Warwick reserves the right to convert to radio technology compatible with existing central billing and software requirements. Also, the successful bidder must be an authorized distributor of Neptune products and services.

The purpose of this bid is to establish firm pricing in anticipation of future material requirements, TO BE PURCHASED ON AN AS NEEDED BASIS

The bidder agrees that material shall be delivered to the Warwick Water Division stock room, 935 Sandy Lane, Warwick, Rhode Island, as soon as possible, after award of contract. Partial shipment will be acceptable to expedite receipt, at least 24 hour advance notice shall be provided prior to making any deliveries. All freight and transportation cost shall be the responsibility of the Supplier.

The bidder further agrees that, should he be awarded the contract, the unit prices offered in this proposal shall remain valid for a period of at least two (2) years. Additional material may be ordered during that period using standard purchasing procedures at the unit price shown in the bid. The two (2) year period shall start on the date of award of the contract. Meters rejected shall be returned to the supplier at his cost. The Supplier agrees that meters shall be delivered within 30 calendar days upon receipt of order.

The bidder may bid on any one or more groups of the bid proposal. It must bid on all items in a particular group. If any item is not bid, the group where this item appears shall not be further considered for award. If you do not wish to bid on any group, write "NO" BID in the total group space.

SPECIAL CONDITIONS

GUARANTEE

A certificate of testing for accuracy and capacity will be required. The meters furnished shall be new, of the latest model which have been catalogued for one (1) year or more, and fabricated in a first-class workmanlike manner from good quality material.

The Contractor shall replace and install free of charge to the Purchaser any part that fails in any manner by reason of defective material or workmanship, with a period of five (5) years from the date accepted by the Purchaser. Registers and gear reduction units shall be guaranteed against defects in workmanship and material for a period of ten (10) years from the date of installation.

ACCEPTANCE

Each vendor must deliver to the Water Division, 935 Sandy Lane, Warwick, Rhode Island, a sample meter for testing and inspection by Meter Division personnel. The Water Division further reserves the right to inspect meters for quality and workmanship before or after delivery prior to accepting shipment. Bidder shall state any warranty which he offers on the entire meter or part thereof, as part of his bid. Each warranty and price list together with design features and parts availability shall be considered along with bid price in the determination of the best bid.

DELIVERY

Delivery shall be made to the Water Division, 935 Sandy Lane, Warwick, Rhode Island. All shipping costs shall be paid by the supplier. The supplier shall pay all freight charges for defective material shipped to its factory under warranty.

| |
|--|
| <u>DISPLACEMENT TYPE</u> <u>GROUP ONE</u> |
|--|

The cold-water meters – displacement type to be furnished under these specifications shall be in accordance with all applicable provisions of the American Water Works Standard AWWA C700-90, C707-82, and all subsequent revisions thereof, which are hereby made a part hereof with exception, modification and addition to various sections of the Standard. These Standards shall set forth the minimum requirement acceptable to the Water Division, hereinafter referred to as the Purchaser.

| <u>Item</u> | <u>Qty.</u> | <u>Unit</u> | <u>Size</u> | <u>Description</u> | <u>Unit Price</u> |
|--------------------|--------------------|--------------------|--------------------|--|--------------------------|
| <u>1.1</u> | <u>1</u> | <u>Ea.</u> | <u>5/8"</u> | Cold Water Meter Neptune Procoder T-10 Cubic Feet | \$_____ |
| <u>1.2</u> | <u>1</u> | <u>Ea.</u> | <u>3/4"</u> | Meters-Cold Water Neptune Procoder T-10 Cubic Feet | \$_____ |
| <u>1.3</u> | <u>1</u> | <u>Ea.</u> | <u>1"</u> | Meters-Cold Water Neptune Procoder T-10 Cubic Feet | \$_____ |
| <u>1.4</u> | <u>1</u> | <u>Ea.</u> | <u>1 1/2"</u> | Meters-Cold Water Neptune Procoder T-10 Cubic Feet | \$_____ |
| <u>1.5</u> | <u>1</u> | <u>Ea.</u> | <u>2"</u> | Meters-Cold Water Neptune Procoder T-10 Cubic Feet | \$_____ |

NOTE: ALL DISPLACEMENT TYPE METERS ARE TO BE SCREW END.

| |
|---|
| <u>TURBINE TYPE</u> <u>GROUP TWO</u> |
|---|

The cold-water meters – Turbine – type to be furnished under these specifications shall be in accordance with all applicable provisions of the American Water Works Standard AWWA C701-88 and all subsequent revisions thereof, which are hereby made a part hereof with exceptions, modification and addition to requirement acceptable to the Water Division, hereinafter referred to as the purchaser.

The Strainers for - Turbine – Type Meter to be furnished under these specification and particularly well suited for Turbine Meters and compatible with all makes of meters.

Strainers, Bodies and Covers in 2 through 6 inch sizes are cast bronze. 8" bodies and covers cast iron. Strainer elements and bolts in all sizes are stainless steel. Working pressure rated at 150 psi strainer designed and built to minimize head loss and inline serviceability.

| <u>Item</u> | <u>Qty.</u> | <u>Unit</u> | <u>Size</u> | <u>Description</u> | <u>Unit Price</u> |
|-------------|-------------|-------------|-------------|---|-------------------|
| <u>2.1</u> | <u>1</u> | <u>Ea.</u> | <u>2"</u> | Meters-Cold Water, Neptune Procoder Turbine with low flow indicator, units of measure in cubic feet, per sweep hand revolution, without companion flanges | \$ _____ |
| <u>2.2</u> | <u>1</u> | <u>Ea.</u> | <u>2"</u> | Strainers, cast bronze body, ductile iron, low head loss stainless steel strainer plate & cover bolts, pressure tested to 300 psi, in-line serviceability. | \$ _____ |
| <u>2.3</u> | <u>1</u> | <u>Ea.</u> | <u>3"</u> | Strainers, cast bronze body, ductile iron, low head loss, Stainless steel strainer plate and cover bolts, pressure tested to 300psi, in-line serviceability | \$ _____ |
| <u>2.4</u> | <u>1</u> | <u>Ea.</u> | <u>4"</u> | strainers, cast bronze body, ductile iron, low head loss, stainless steel strainer plate and cover bolts, pressure tested to 300psi, in-line serviceability | \$ _____ |

| |
|--|
| <u>COMPOUND TYPE</u> <u>GROUP THREE</u> |
|--|

The cold-water meters – compound – type to be furnished under these specifications shall be in accordance with all applicable provisions of the American Water Works Standard AWWA C702-92 and all subsequent revisions thereof, which are hereby made a part hereof with exceptions, modification and addition to requirement acceptable to the Water Division, hereinafter referred to as the purchaser.

| <u>Item</u> | <u>Qty.</u> | <u>Unit</u> | <u>Size</u> | <u>Description</u> | <u>Unit Price</u> |
|-------------|-------------|-------------|----------------|--|-------------------|
| <u>3.1</u> | <u>1</u> | <u>Ea.</u> | <u>2"</u> | Meters-Cold Water, two registers, units of measure in cubic feet | \$ _____ |
| <u>3.2</u> | <u>1</u> | <u>Ea.</u> | <u>3"</u> | Meters-Cold Water, two registers, units of measure in cubic feet | \$ _____ |
| <u>3.3</u> | <u>1</u> | <u>Ea.</u> | <u>4"</u> | Meters-Cold Water, two registers, units of measure in cubic feet | \$ _____ |
| <u>3.4</u> | <u>1</u> | <u>Ea.</u> | <u>6"</u> | Meters-Cold Water, two registers, units of measure in cubic feet | \$ _____ |
| <u>3.5</u> | <u>1</u> | <u>Ea.</u> | <u>8" x 6"</u> | Meters-Cold Water, two registers, units of measure in cubic feet | \$ _____ |

| |
|--|
| <u>FIRE SERVICE TYPE</u> <u>GROUP 4</u> |
|--|

| <u>Item</u> | <u>Qty.</u> | <u>Unit</u> | <u>Size</u> | <u>Description</u> | <u>Unit Price</u> |
|-------------|-------------|-------------|-------------|--|-------------------|
| <u>4.1</u> | <u>1</u> | <u>Ea.</u> | <u>3"</u> | Meters-Cold Water, two registers, units of measure in cubic feet | \$_____ |
| <u>4.2</u> | <u>1</u> | <u>Ea.</u> | <u>4"</u> | Meters-Cold Water, two registers, units of measure in cubic feet | \$_____ |
| <u>4.3</u> | <u>1</u> | <u>Ea.</u> | <u>6"</u> | Meters-Cold Water, two registers, units of measure in cubic feet | \$_____ |
| <u>4.4</u> | <u>1</u> | <u>Ea.</u> | <u>8"</u> | Meters-Cold Water, two registers, units of measure in cubic feet | \$_____ |
| <u>4.5</u> | <u>1</u> | <u>Ea.</u> | <u>10"</u> | Meters-Cold Water, two registers, units of measure in cubic feet | \$_____ |

COMMUNICATION DEVICES
GROUP FIVE

| <u>Item</u> | <u>Qty.</u> | <u>Unit</u> | <u>Description</u> | <u>Unit Price</u> |
|--------------------|--------------------|--------------------|---|--------------------------|
| <u>5.1</u> | <u>1</u> | <u>Ea.</u> | Reconditioned Neptune Advantage Probe for reading ARB/Proread and R900 MIUs | \$ _____ |
| <u>5.1 A</u> | <u>1</u> | <u>Ea.</u> | Pocket Pro-Reader | \$ _____ |
| <u>5.2</u> | <u>1</u> | <u>Ea.</u> | Neptune R900 Radio Frequency MIU Pit Mount W/6" of wire | \$ _____ |
| <u>5.3</u> | <u>1</u> | <u>Ea.</u> | Neptune R900 Radio Frequency MIU Wall Mount | \$ _____ |

| <u>Item</u> | <u>Qty.</u> | <u>Unit</u> | <u>Description</u> | <u>Unit Price</u> |
|---|--------------------|--------------------|---------------------------|--------------------------|
| <u>5.4 Neptune Procoder-cubic feet</u> | | | | |
| <u>5.4 A</u> | <u>1</u> | <u>Ea.</u> | <u>5/8"</u> | \$ _____ |
| <u>5.4 B</u> | <u>1</u> | <u>Ea.</u> | <u>1"</u> | \$ _____ |
| <u>5.4 C</u> | <u>1</u> | <u>Ea.</u> | <u>1 1/2"</u> | \$ _____ |
| <u>5.4 D</u> | <u>1</u> | <u>Ea.</u> | <u>2"</u> | \$ _____ |
| <u>5.4 E</u> | <u>1</u> | <u>Ea.</u> | <u>3"</u> | \$ _____ |
| <u>5.4 F</u> | <u>1</u> | <u>Ea.</u> | <u>4"</u> | \$ _____ |
| <u>5.4 G</u> | <u>1</u> | <u>Ea.</u> | <u>6"</u> | \$ _____ |
| <u>5.4 H</u> | <u>1</u> | <u>Ea.</u> | <u>8"</u> | \$ _____ |

Communication Devices
(Cont'd)

| | | | | |
|------------|----------|------------|---|----------|
| <u>5.5</u> | <u>1</u> | <u>Ea.</u> | Trimble Nomad 900B Neptune Handheld Data Collector, Bluetooth Only with 1 stylus, 1 power Adaptor, 2 antiglare screen protectors, 1 hand Strap, and 1 SD card | \$ _____ |
| <u>5.6</u> | <u>1</u> | <u>Ea.</u> | Neptune R900 Belt Clip Transceiver including Cables, batteries and accessories | \$ _____ |
| <u>5.7</u> | <u>1</u> | <u>Ea.</u> | Neptune MRX Version 4 Drive by unit | \$ _____ |

PIT RECEPTICLES, REGISTER HEADS, TP'S WIRE
GROUP SIX

| <u>Item</u> | <u>Qty.</u> | <u>Unit</u> | <u>Description</u> | <u>Unit</u> |
|-------------|-------------|-------------|--|--------------|
| | | | | <u>Price</u> |
| <u>6.1</u> | <u>1</u> | <u>Ea.</u> | Register Heads- Neptune Procoder Cubic Ft 5/8" | \$ _____ |
| <u>6.2</u> | <u>1</u> | <u>Ea.</u> | Register Heads- Neptune Procoder Cubic Ft. 3/4" | \$ _____ |
| <u>6.3</u> | <u>1</u> | <u>Ea.</u> | Register Heads- Neptune Procoder Cubic Ft. 1" | \$ _____ |
| <u>6.4</u> | <u>1</u> | <u>Ea.</u> | Register Heads- Neptune Procoder Cubic Ft. 1 1/2" | \$ _____ |
| <u>6.5</u> | <u>1</u> | <u>Ea.</u> | Register Heads- Neptune Procoder T-10, Cubic Ft, 6 Digit, H 65 N | \$ _____ |
| <u>6.6</u> | <u>1</u> | <u>Ea.</u> | Meter wire, 3 Strand 22 Gauge 1,000 rolls | \$ _____ |

METER PITS
GROUP SEVEN

7.1 Meter Pits- Less Cover- W/Compression Outlet

- A. W/Angle Ball Valves- P.J. x CTS
Ref. Ford#3A94-323 W
- B. W/Angle Cartridge Style Dual Check Valve
Ref. Ford #HHCA91-323

Meter Pits

| Sizes | Unit Price (A) | Unit Price (B) |
|---------------|----------------|----------------|
| <u>5/8"</u> | \$ _____ | \$ _____ |
| <u>3/4"</u> | \$ _____ | \$ _____ |
| <u>1"</u> | \$ _____ | \$ _____ |
| <u>1 1/2"</u> | \$ _____ | \$ _____ |
| <u>2"</u> | \$ _____ | \$ _____ |

Meter Pit Covers- Includes:

| Item | Qty. | Unit | Description | Unit Price |
|-------------------------------------|-------------|-------------|--|-------------------|
| <u>7.2</u> | <u>1</u> | <u>Ea.</u> | Frame 5/8" | \$ _____ |
| <u>7.3</u> | <u>1</u> | <u>Ea.</u> | Frost Cover 3/4" | \$ _____ |
| <u>7.4</u> | <u>1</u> | <u>Ea.</u> | Cover w/Locking Electric Meter Reading Lid 1" | \$ _____ |
| (Ref. Ford #W3T/11 1/2" 20") | | | | |
| <u>7.5</u> | <u>1</u> | <u>Ea.</u> | 1 1/2" | \$ _____ |
| <u>7.6</u> | <u>1</u> | <u>Ea.</u> | 2" | \$ _____ |

Meter Pit Poly Risers

| <u>Item</u> | <u>Qty.</u> | <u>Unit</u> | <u>Description</u> | <u>Unit Price</u> |
|-------------|-------------|-------------|--------------------|-------------------|
| 7.7 | 1 | Ea. | 20" x 3" | \$ _____ |
| 7.8 | 1 | Ea. | 20 x 6" | \$ _____ |

| |
|---------------------------------------|
| <u>Measuring Chambers T-10</u> |
|---------------------------------------|

| <u>Item</u> | <u>Qty.</u> | <u>Unit</u> | <u>Description</u> | <u>Unit Price</u> |
|---|-------------|-------------|-------------------------|-------------------|
| 7.9 | 1 | Ea. | Meter size- 5/8" | \$ _____ |
| 8.0 | 1 | Ea. | Meter size- 3/4" | \$ _____ |
| 8.1 | 1 | Ea. | Meter size-1" | \$ _____ |
| 8.2 | 1 | Ea. | Meter size-1 1/2" | \$ _____ |
| 8.3 | 1 | Ea. | Meter size-2" | \$ _____ |
| (Ref.# 5/8" x T-10 Measuring Chambers) | | | | |
| 8.4 | 1 | Ea. | Linear & Gasket 5/8"-2" | \$ _____ |
| 8.5 | 1 | Ea. | Frost Plate 5/8"-1" | \$ _____ |
| 8.6 | 1 | Ea. | Strainer 5/8"-1" | \$ _____ |

| |
|---|
| HIGH PERFORMANCE TURBINE REPLACEMENT |
|---|

| <u>Item</u> | <u>Qty.</u> | <u>Unit</u> | <u>Description</u> | <u>Unit Price</u> |
|-------------|-------------|-------------|--------------------|-------------------|
| 8.7 | 1 | Ea. | Meter size- 2" | \$ _____ |
| 8.8 | 1 | Ea. | Meter size- 3" | \$ _____ |
| 8.9 | 1 | Ea. | Meter size- 4" | \$ _____ |

| |
|--|
| TRU/FLOW COMPOUND METERS UNITIZED MEASURING ELEMENT (UME) |
|--|

| <u>Item</u> | <u>Qty.</u> | <u>Unit</u> | <u>Description</u> | <u>Unit Price</u> |
|-------------|-------------|-------------|--------------------|-------------------|
| 9.1 | 1 | Ea. | Meter size- 2" | \$ _____ |
| 9.2 | 1 | Ea. | Meter size- 3" | \$ _____ |
| 9.3 | 1 | Ea. | Meter size- 4" | \$ _____ |

Neptune Ultra Sonic Mach10 Meters

| <u>Item</u> | <u>Qty.</u> | <u>Unit</u> | <u>Description</u> | <u>Unit Price</u> |
|-------------|-------------|-------------|--|-------------------|
| 9.4 | 1 | Ea. | Neptune Ultra Sonic Mach10 Meter 3" | \$ _____ |
| 9.5 | 1 | Ea. | Neptune Ultra Sonic Mach10 Meter 4" | \$ _____ |
| 9.6 | 1 | Ea. | Neptune Ultra Sonic Mach10 Meter 6" | \$ _____ |
| 9.7 | 1 | Ea. | Neptune Ultra Sonic Mach10 Meter 8" | \$ _____ |