Patricia A. Peshka

**Purchasing Agent** 



Joseph J. Solomon

Mayor

### City of Warwick

Purchasing Division 3275 Post Road Warwick, Rhode Island 02886 Tel (401) 738-2013 Fax (401) 737-2364

The following notice is to appear on the City of Warwick's website <u>Thursday</u>, March 28, 2019. The website address is http://www.warwickri.gov/bids.

### CITY OF WARWICK BIDS REQUESTED FOR

### Bid2020-031 Brass Fittings & Valves

Specifications are available in the Purchasing Division, Warwick City Hall, Monday through Friday, 8:30 AM until 4:30 PM on or after Thursday, March 28, 2019.

Sealed bids will be received by the Purchasing Division, Warwick City Hall, 3275 Post Road, Warwick, Rhode Island 02886 up until 11:00 AM, Wednesday, April 10, 2019. The bids will be opened publicly commencing at 11:00 AM on the same day in the Lower Level Conference Room, Warwick City Hall.

Awards will be made on the basis of the lowest evaluated or responsive bid price. Please note that no bids can be accepted via email or fax.

The City of Warwick, in addition to soliciting bids in response to this bid, may consult, consider, and make an award for any and all open bid offers for a comparable unit as sought herein at the following websites:

RI State MPA: http://www.purchasing.ri.gov/MPA/MPASearch.aspx

NASPO: https://www.naspo.org/

NJPA (National Joint Powers Alliance): https://www.njpacoop.org/cooperative-purchasing

MHEC (Massachusetts Higher Education Consortium): https://www.mhec.net/

Individuals requesting interpreter services for the hearing impaired must notify the Purchasing Division at 401-738-2013 at least 48 hours in advance of the bid opening date.

Patricia A. Peshka Purchasing Agent

### PLEASE COMPLETE THIS PAGE & SUBMIT WITH YOUR BID

### Acknowledgement of Addendum (if applicable)

	Addendum Number	Signature of Bidd	ler
			_
	-		<del></del>
COMPANY NA	ME:		<u></u>
COMPANY AI	DDRESS:		_
COMPANY AI	DDRESS:		_
BIDDER'S SIG	NATURE:		
BIDDER'S NAI	ME (PRINT):		
TITLE:	TEL. NO.:		-
EMAIL ADDR	ESS:		*
•	ur email address. Future bids	•	
II. AWARD AND	CONTRACT:		
Agent/Finance Direction above party to junless another pays	ne CITY OF WARWICK, actine actor/Mayor, accepts the above pay the bid price upon complet ment schedule is contained in the substantive and procedural, as	bid and hereby enters to bid and hereby enters to bid on of the project or receive the specifications. All to	into a contract with eipt of the goods erms of the
DATE:			
	d2020-031	Purchasing Age	ent

### PLEASE COMPLETE THIS PAGE & SUBMIT WITH YOUR BID

### **CERTIFICATION & WARRANT FORM\***

This form <u>must</u> be completed and submitted with sealed bid. Failure to do so will result in automatic rejection.

Any and all bids shall contain a certification and warrant that they comply with all relevant and pertinent statues, laws, ordinances and regulations, in particular, but not limited to Chapter 16-Conflicts of Interest, of the Code of Ordinances of the City of Warwick. Any proven violation of this warranty and representation by a bidder at the time of the bid or during the course of the contract, included, but not limited to negligent acts, either directly or indirectly through agents and/or sub-contractors, shall render the bidder's contract terminated and the bidder shall be required to reimburse the City for any and all costs incurred by the City, including reasonable attorney fees, to prosecute and/or enforce this provision.

Signature		Date	
C	<u>.</u>		
Company Name			
Address			
Address			

\*This form cannot be altered in any way

### CITY OF WARWICK NOTICE TO BIDDERS

### Bid2020-031 Brass Fittings & Valves

If you received this document from our homepage or from a source other than the City of Warwick Purchasing Division, please check with our office prior to submitting your bid to ensure that you have a complete package. The Purchasing Division cannot be responsible to provide addenda if we do not have you on record as a plan holder.

Bids received prior to the time of the opening will be securely kept, unopened. No responsibility will be attached to an officer or person for the premature opening of a bid not properly addressed and identified. No bids will be accepted via facsimile or email.

The opening of bids will be in the order established by the posted agenda and the agenda will continue uninterrupted until completion.

Once an item has been reached and any bids on that item has been opened, no other bids on that item will be accepted and any such bid will be deemed late.

The contractor will not discriminate against any employee or applicant for employment because of physical or mental handicap for any position for which the employee or applicant is qualified and that in the event of non-compliance the City may declare the contractor in breach and take any necessary legal recourse including termination or cancellation of the contract.

A bidder filing a bid thereby certifies that no officer, agent, or employee of the City has a pecuniary interest in the bid or has participated in contract negotiations on the part of the City, that the bid is made in good faith without fraud, collusion, or connection of any kind with any other bidder for the same call for bids, and that the bidder is competing solely in his own behalf without connection with, or obligation to, any undisclosed person or firm.

All bids should be submitted with one (1) original and one (1) copy in a sealed envelope, which should read: *YOUR COMPANY NAME* plainly marked on the exterior of the envelope as well as "Bid2020-031 Brass Fittings & Valves."

Should you have any questions, please contact Daniel O'Rourke, Water Division, at 401-921-9734.

All bids should be written in ink or typed. If there is a correction with whiteout, the bidder should initial the change.

Negligence on the part of the bidder in preparing the bid confers no rights for the withdrawal of the bid after it is open.

Any deviation from the specifications must be noted in writing and attached as part of the bid proposal. The bidder will indicate the item or part with the deviation and indicate how the bid will deviate from specifications.

The IRS Form W-9 available on www.warwickri.gov should be completed and submitted with the bid if the bidder falls under IRS requirements to file this form.

For a bid to be awarded to a corporation, limited liability company or other legal entity, prior to commencing work under the awarded bid, that corporation, company or legal entity may be required to provide to the Purchasing Agent a Certificate of Good Standing dated no more than thirty (30) days prior to the date upon which the bid approval was made.

The successful bidder will provide said **Certificate of Good Standing** (if required) within ten (10) calendar days after notification or the City reserves the right to rescind said award.

Prices to be held firm July 1, 2019 through June 30, 2020. Term contracts may be extended for one (1) additional term upon mutual agreement unless otherwise stated.

The contractor must carry sufficient liability insurance and agree to indemnify the city against all claims of any nature, which might arise as a result of his operations or conduct of work.

The City is exempt from the payment of the Rhode Island Sales Tax under the 1956 General Laws of the State of Rhode Island, 44-18-30, Paragraph I, as amended.

The Purchasing Agent reserves the right to reject any and all bids, to waive any minor deviations or informalities in the bids received, and to accept the bid deemed most favorable to the interest of the City.

The successful bidder must comply with all Rhode Island Laws applicable the public works projects, including, but not limited to provisions of Chapter 13 of Title 37 of the Rhode Island General Laws, pertaining to prevailing wage rates, and all other applicable local, state and federal laws.

The City reserves the right to terminate the contract or any part of the contract in the best interests of the City, upon 30-day notice to the contractor. The City will incur no liability for materials or services not yet ordered if it terminates in the best interests of the City. If the City terminates in the interests of the City after an order for materials or services have been placed, the contractor will be entitled to compensation upon submission of invoices and proper proof of claim, in that proportion which its services and products were satisfactorily rendered or provided, as well as expenses necessarily incurred in the performance of work up to time of termination.

No extra charges for delivery, handling or other services will be honored. All claims for damage in transit will be the responsibility of the successful bidder. Deliveries must be made during normal working hours unless otherwise agreed upon.

All costs directly or indirectly related to the preparation of a response to this solicitation, or any presentation or communication to supplement and/or clarify any response to this solicitation which may be required or requested by the City of Warwick will be the sole responsibility of and will be borne by the respondent.

If the respondent is awarded a contract in accordance with this solicitation and if the respondent fails or refuses to satisfy fully all of the respondents obligations thereunder, the City of Warwick will be entitled to recover from the respondent any losses, damages or costs incurred by the City as a result of such failure or refusal.

The City reserves the right to award in part or full and to increase or decrease quantities in the best interest of the City.

Any quantity reference in the bid specifications are estimates only, and do not represent a commitment on the part of the City of Warwick to any level of billing activity. It is understood and agreed that the agreement will cover the actual quantities ordered during the contract period.

The City reserves the right to rescind award for non-compliance to bid specifications.

The successful bidder must adhere to all City, State and Federal Laws, where applicable.

### **BRASS FITTINGS & VALVES**

### "ALL BRASS MUST BE LEAD FREE"

### ITEM #1 CURB STOPS (VALVE)

Compression to compression. For type K copper or plastic tubing complete for installation. )-"NO DRAIN/BLEEDER ON ALL CURB STOPS"

1-1 Valve S/W

Size: 3/4"

(Red Hed Manufacturing RHSB41511)

1-2 Valve S/W

Size:

(Red Hed Manufacturing RHSB41512)

1-3 Valve Ball

Size:

1 1/4"

(Red Hed Manufacturing RHB41513)

1-4 Valve Ball

Size:

1 1/2"

(Red Hed Manufacturing RHB41514)

1-5 Valve Ball

Size:

2"

(Red Hed Manufacturing RHB41515)

### ITEM #2 CORPORATION STOPS (VALVE)

Inlet: iron pipe thread (IPTS) LEAD FREE BRASS Outlet: compression for type K copper or plastic tubing

2-1 Valve Corporation

Size: 3/4"

(Red Hed Manufacturing RHSB43831)

2-2 Valve Corporation

<u>Size:</u> 1"

(Red Hed Manufacturing RHSB43832)

2-3 Valve Corporation

<u>Size:</u> 1 1/4"

(Red Hed Manufacturing RHB43833)

2-4 Valve Corporation

Size:

(Red Hed Manufacturing RHB43834)

2-5 Valve Corporation

<u>Size:</u> 2"

(Red Hed Manufacturing RHB43835)

### ITEM #3 COUPLINGS (BRASS) LEAD FREE BRASS

### Compression to compression for Type K copper or plastic tubing

3-1 Coupling (three part union) Compression to compression

Size: 3/4 x 3/4 inch

(Red Hed Manufacturing RH41211)

3-2 Coupling (three part union) Compression to compression Size:

1 x 1 inch

(Red Hed Manufacturing RH41212)

3-3 Coupling (three part union) Compression to compression Size:

1 1/4 x 1 1/4 inch

(Red Hed Manufacturing RH41213)

3-4 Coupling (three part union) Compression to compression

 $\frac{5120}{1 \frac{1}{2}}$  x 1  $\frac{1}{2}$  inch

(Red Hed Manufacturing RH41214)

3-5 Coupling (three part union) Compression to compression Size:

2 x 2 inch

(Red Hed Manufacturing RH41215)

### ITEM #4 COUPLINGS STRAIGHT (BRASS) LEAD FREE BRASS

### For Type K Copper or Plastic Tubing

4-1 Coupling

<u>Female</u>

Inlet:

Iron pipe thread (IPTS)

Outlet:

Compression

Size: 3/4" x 3/4" inch

(Red Hed Manufacturing RH41311)

4-2 Coupling

<u>Female</u>

Inlet:

Iron pipe thread (IPTS)

Outlet:

Compression

Size: 1 x 1 inch

(Red Hed Manufacturing RH41312)

4-3 Coupling

Female

Inlet:

Iron pipe thread (IPTS)

Outlet:

Compression

Size: 1 1/4 x 1 1/4 inch

(Red Hed Manufacturing RH41313)

4-4

Coupling

Female

Inlet:

Iron pipe thread (IPTS)

Outlet:

Compression

Size: 1 ½ x 1 ½ inch

(Red Hed Manufacturing RH41314)

4-5

Coupling

**Female** 

Inlet:

Iron pipe thread (IPTS)

Outlet:

Compression

Size: 2 x 2 inch

(Red Hed Manufacturing RH41315)

4-6 Coupling

Male

Inlet:

Iron pipe thread (IPTS)

Outlet:

Compression

Size: <sup>3</sup>/<sub>4</sub> x <sup>3</sup>/<sub>4</sub> inch

(Red Hed Manufacturing RH40211)

4-7 Coupling

Male

Inlet:

Iron pipe thread (IPTS)

Outlet:

Compression

Size: 1 x 1 inch

(Red Hed Manufacturing RH40212)

Male

4-8

Coupling

Inlet:

Iron pipe thread (IPTS)

Outlet:

Compression

Size: 1 1/4 x 1 1/4 inch

(Red Hed Manufacturing RH40213)

4-9 Coupling

Male

Inlet:

Iron pipe thread (IPTS)

Outlet:

Compression

Size: 1 ½ x 1 ½ inch

(Red Hed Manufacturing (RH40214)

4-10 Coupling

Male

Inlet:

Iron pipe thread (IPTS)

Outlet:

Compression

Size: 2 x 2 inch

(Red Hed Manufacturing RH40215)

### ITEM #5 METER COUPLINGS LEAD FREE BRASS

### Type: STRAIGHT METER COUPLINGS WITH MALE IRON PIPE THREADS BODY STYLE "A" (HEX ON BARREL)

- 5-1 Couplings for 5/8 inch meter
  - (A.Y. McDonald Manufacturing 5124-109)
- 5-2 Couplings for <sup>3</sup>/<sub>4</sub> inch meter
  - (A.Y. McDonald Manufacturing 5124-110)
- 5-3 Couplings for 1 inch meter
  - (A.Y. McDonald Manufacturing 5124-111)
- 5-4 Couplings for 1 ½ inch meter
  - (A.Y. McDonald Manufacturing 5124-103)
- 5-5 Couplings for 2 inch meter
  - (A.Y. McDonald Manufacturing 5124-104)

### ITEM #6 FLARED COPPER COUPLINGS LEAD FREE BRASS

### FOR MALE IRON PIPE THREAD

6-1 Couplings male iron pipe x flared Copper Ends – Size: 3/4 inch

(Red Hed Manufacturing RH40201)

6-2 Ell couplings for male iron pipe x flared Copper Ends – Size ¾ inch

(A.Y. McDonald Manufacturing 5120-154)

### ITEM #7 ASSORTED BRASS

- 7-1) <sup>3</sup>/<sub>4</sub>" X <sup>3</sup>/<sub>4</sub>" Brass Tee
- 7-2) 1" X 1" Brass Tee
- 7-3) 1 1/4 " X 1 1/4" Brass Tee
- 7-4) 1 ½" X 1 ½" Brass Tee
- 7-5) 2" X 2" Brass Tee

### (A.Y. McDonald Manufacturing)

### ITEM #8 8-1) 1" x 3/4" Brass Reducer Comp

- 8-2) 1 1/4"x 3/4" Brass Reducer Comp
- 8-3) 1 ½ x ¾ " Brass Reducer Comp
- 8-4) 2"x 3/4" Brass Reducer Comp

### (Red Hed Manufacturing)

### ITEM #9 9-1) 2" Brass Spud Nuts STD 3 7/16 Long RF13A-5S

9-2) 1 1/2 " Brass Spud Nuts STD 3 1/8 Long RF13A-4S

### ITEM #10 10-1) Brass Street Elbow ½" Male x Female 90°

- 10-2) Brass Close Nipples 1/2" x Close
- 10-3) Brass Nipples ½" x 1 ½'
- 10-4) Brass Watts Ball Valves 3/4" IPT w/drain RH49339Lf

### ITEM #11 BRONZE LEAD FREE DOWNSIZING METER ADAPTORS

- 11-1) 3/4-5/8" downsize adaptor RH1401
- 11-2) 1"-5/8" downsize adaptors RH1402
- 11-3) 1"-3/4" downsize adaptors RH1430
- 11-4) 1 ½-1" downsize adaptors RH130402P
- 11-5) 2"-1" downsize adaptors RH200201P
- 11-6) 1 ½"-1" downsize (flange) adaptors RH200402P
- 11-7) 2"-1" downsize (flange) adaptors RH200201P

- ITEM#12 12-1) 2" X 3/4"IPT Brass Bushings
  - 12-2) 2" x 1" IPT Brass Bushings
  - 12-3) 2' x 1 1/4" IPT Brass Bushings
  - 12-4) 2" x 1 ½" IPT Brass Bushings
- ITEM#13 13-1) 3/4" IPT Brass Plugs
  - 13-2) 1" IPT Brass Plugs
  - 13-3) 2" IPT Brass Plugs
  - (A.Y. McDonald Manufacturing)
- **ITEM#14** 14-1) <sup>3</sup>/<sub>4</sub>"xs X <sup>3</sup>/<sub>4</sub>" CTS 5180-014
  - 14-2) 3/4"xxs X 3/4" CTS 5180-025
  - 14-3) 1"xs X 3/4" CTS 5180-085
  - 14-4) 1"xxs X 3/4" CTS 5180-086
  - 14-5) 1"xs X 1" CTS 5180-015
  - 14-6) 1"xxs X 1" CTS5180-059

### **INSERT STIFFENERS**

- ITEM# 15 15-1) 3/4" Stainless Steel Insert
  - 15-2) 1" Stainless Steel Insert
  - 15-3) 1 1/4" Stainless Steel Insert
  - 15-4) 1 ½" Stainless Steel Insert
  - 15-5) 2" Stainless Steel Insert
- ITEM#16 Philmac Universal Transition Lead

to copper coupling utc 27-34mm x

21-27mm

### CITY OF WARWICK

### **BID AND CONTRACT FORM**

TITLE OF SPECIFICATION: Bid2020-031 Brass Fittings & Valves

### I. BID:

WHEREAS, the CITY OF WARWICK has duly asked for bids for performance of services and/or supply of goods in accordance with the above-indicated specifications.

The person or entity does irrevocably offer to perform the services and/or furnish the goods in accordance with the specifications, which are hereby incorporated by reference in exchange for the bid price.

This offer will remain open and irrevocable until the CITY OF WARWICK has accepted this bid or another bid on the specifications or abandoned the project.

The bidder agrees that acceptance by the CITY OF WARWICK will transform the bid into a contract. This bid and contract will be secured by Bonds, if required by the specifications.

PLEASE COMPLETE & SUBMIT THE ATTACHED PRICING SHEETS TO ALLOW US TO ACCESS A FAIR COMPARISON OF ALL BIDS SUBMITTED

# PLEASE COMPLETE THIS PAGE SUBMIT WITH YOUR BID

2020-031 Brass Fittings & Valves PRICING SHEET.xlsx

ITEM	DESCRIPTION
1-1	34" Valve S/W
1-2	1" Valve S/W
1-3	1 1/4" Valve Ball
1-4	1 ½" Valve Ball
1-5	2" Valve Ball
2-1	3/4" Valve Corporation
2-2	1" Valve Corporation
2-3	1 1/4" Valve Corporation
2-4	1 1/2" Valve Corporation
2-5	2" Valve Corporation
3-1	$^{34}$ " x $^{34}$ " Coupling Compression to
	Compression
6-6	1" x 1" Coupling Compression to
7-C	Compression
3-3	1 1/4" x 1 1/4" Coupling Compression to
)	Compression
3-4	1 ½" x 1 ½" Coupling Compression to Compression
v	2" x 2" Coupling Compression to
J-7	Compression
4-1	3/4" x 3/4" Coupling Female
4-2	1" x 1" Coupling Female
4-3	1 1/4" x 1 1/4" Coupling Female
4-4	1 ½" x 1 ½" Coupling Female
4-5	2" x 2" Coupling Female
	continued next page

# PLEASE COMPLETE THIS PAGE SUBMIT WITH YOUR BID

### 2020-031 Brass Fittings & Valves PRICING SHEET.xlsx

4-6 34"x 34" Coupling Male 4-7 1"x 1" Coupling Male 4-8 1 14" x 1 14" Coupling Male 4-9 1 12" x 1 12" Coupling Male 4-10 2" x 2" Coupling Male 5-1 Coupling for 34" Meter 5-2 Coupling for 34" Meter 5-3 Coupling for 2" Meter 5-4 Coupling for 2" Meter 6-1 Coupling for 1" Meter 6-1 Coupling for 2" Meter 6-2 Ell coupling 84" male iron pipe thread 6-2 Ell couplings 34" male iron pipe thread 7-1 34" x 34" Brass Tee 7-2 1" x 1" Brass Tee 7-3 1" x 1" Brass Tee 7-4 1" x 1" Brass Tee 7-5 2" x 2" Brass Reducer Compressed 8-1 1" x 34" Brass Reducer Compressed 8-2 1" x 34" Brass Reducer Compressed 8-3 1" x 34" Brass Reducer Compressed 8-4 2" x 34" Brass Reducer Compressed 9-1 2" Brass Spud Nuts continued next page	ITEM	DESCRIPTION	BID
	4-6	3/2" x 3/2" Coupling Male	
	4-7	1" x 1" Coupling Male	
	4-8	1 1/4" x 1 1/4" Coupling Male	
	4-9	1 ½" x 1 ½" Coupling Male	
	4-10	2" x 2" Coupling Male	
	5-1	Coupling for 5/8" Meter	
	5-2	Coupling for 3/4" Meter	
	5-3	Coupling for 1" Meter	
	5-4	Coupling 1 1/2" Meter	
	5-5	Coupling for 2" Meter	
	6-1	Coupling 3/2" male iron pipe thread	
	6-2	Ell couplings 3/2" male iron pipe thread	
	7-1	3/2" x 3/2" Brass Tee	
	Z- <i>L</i>	1" x 1" Brass Tee	
	£-L	1 1/4" x 1 1/4" Brass Tee	
	<i>1</i> -4	1 ½" x 1 ½" Brass Tee	
	S-L	2" x 2" Brass Tee	
	8-1	1" x 3/" Brass Reducer Compressed	
	8-2	1 1/4" x 3/4" Brass Reducer Compressed	
	8-3	1 1/2" x 3/2" Brass Reducer Compressed	
	8-4	2" x 3/" Brass Reducer Compressed	
	9-1	2" Brass Spud Nuts	
continued next page	9-2	1 ½" Brass Spud Nuts	
continued next page			
		continued next page	

# PLEASE COMPLETE THIS PAGE SUBMIT WITH YOUR BID

2020-031 Brass Fittings & Valves PRICING SHEET.xlsx

		DID
10-1	Brass Steel Elbow 1/2" Male x Female	
10-2	Brass Close Nipples ½" x Close	
10-3	Brass Nipples ½" x 1 ½"	
10-4	Brass Watts Ball Valves 3/1" IPT	
11-1	3/4"-5/8" Downsize Adapters	
11-2	1"-5/8" Downsize Adapters	
11-3	1"-3/4" Downsize Adapters	
11-4	1 1/2" - 1" Downsize Adaptors	:
11-5	2" - 1" Downsize Adaptors	
11-6	1 1/2" - 1" Downside (Flange) Adaptors	
11-7	2" - 1" Downside (Flange) Adaptors	
12-1	2" x 3/4" IPT Brass Bushings	
12-2	2" x 1" IPT Brass Bushings	
12-3	2" x 1 1/4" IPT Brass Bushings	
12-4	2 1/2" x 1 1/2" IPT Brass Bushings	
13-1	3/4" IPT Brass Plugs	
13-2	1" IPT Brass Plugs	
13-3	2" IPT Brass Plugs	
14-1	34" xs X 34" CTS	
14-2	<sup>3</sup> / <sub>4</sub> " xxs X 3/4" CTS	
14-3	1" xsX 3/4" CTS	
14-4	1" xxs X 3/4" CTS	
14-5	1" xs X 1" CTS	
14-6	1" xxs X 1" CTS	
15-1	34" Stainless Steel Insert	
15-2	1" Stainless Steel Insert	
15-3	1 1/4" Stainless Steel Insert	
15-4	1 1/2" Stainless Steel Insert	
15-5	2" Stainless Steel Insert	
16	Philmac Universal Transition Lead	